


Probiotics linked to weight loss in obese, overweight

October 29 2017



(HealthDay)—Short-term probiotics are associated with reductions in



body weight, body mass index (BMI), and fat percentage in overweight or obese subjects, according to research published online Oct. 18 in *Obesity Reviews*.

Heidi Borgeraas, Ph.D., from the Vestfold Hospital Trust in Tønsberg, Norway, and colleagues examined the effects of probiotic supplementation on <u>body weight</u>, BMI, <u>fat mass</u>, and fat percentage in overweight or obese subjects. The authors conducted a meta-analysis to calculate the weighted mean difference between the intervention and control groups. Data were included for 15 studies with 957 subjects, with interventions ranging in duration from three to 12 weeks.

The researchers found that, compared with placebo, probiotic administration resulted in a significantly larger reduction in body weight (weighted mean difference, -0.60 kg [95 percent confidence interval, -1.19 to -0.01 kg]), BMI (-0.27 kg/m^2 [95 percent confidence interval, $-0.45 \text{ to } -0.08 \text{ kg/m}^2$]), and fat percentage (-0.60 percent [95 percent confidence interval, -1.20 to -0.01 percent]). The size of the effects was small. A non-significant effect of probiotics on fat mass was seen (-0.42 kg [95 percent confidence interval, -1.08 to 0.23]).

"Our meta-analysis showed that short-term (≤12 weeks) probiotic supplementation reduced body weight, BMI, and fat percentage, but the effect sizes were small," the authors write. "Further long-term studies are required to examine the effects of probiotic supplementation on various measures on <u>body</u> weight."

More information: Abstract/Full Text

Copyright © 2017 HealthDay. All rights reserved.

Citation: Probiotics linked to weight loss in obese, overweight (2017, October 29) retrieved 10



April 2024 from

https://medicalxpress.com/news/2017-10-probiotics-linked-weight-loss-obese.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.