

Scientists pinpoint genetic risk factors for asthma, hay fever and eczema

October 31 2017



Credit: QIMR Berghofer

A major international study has pinpointed more than 100 genetic risk factors that explain why some people suffer from asthma, hay fever and eczema.

The study was led by Dr Manuel Ferreira from QIMR Berghofer Medical Research Institute. It has been published in the prestigious journal *Nature Genetics*.

Dr Ferreira said this was the first study designed specifically to find

genetic [risk](#) factors that are shared among the three most common allergic conditions.

"Asthma, [hay fever](#) and eczema are [allergic diseases](#) that affect different parts of the body: the lungs, the nose and the skin," Dr Ferreira said.

"We already knew that they were similar at many levels. For example, we knew that the three diseases shared many genetic risk factors. What we didn't know was exactly where in the genome those shared genetic risk factors were located.

"This is important to know because it tells us which specific genes, when not working properly, cause allergic conditions. This knowledge helps us understand why allergies develop in the first place and, potentially, gives us new clues on how they could be prevented or treated.

"We analysed the genomes of 360,838 people and pinpointed 136 separate positions in the genome that are risk factors for developing these conditions.

"If you are unlucky and inherit these genetic risk factors from your parents, it will predispose you to all three [allergic conditions](#)."

Dr Ferreira said those 136 [genetic risk factors](#) influenced whether 132 nearby genes were switched on or off.

"We think that these genes influence the risk of asthma, hay fever and eczema by affecting how the cells of the immune system work," he said.

"Importantly, we have identified several drugs that we believe could be targeted at some of these genes to treat allergies. The first step would be to test those drugs in the laboratory."

The study also examined if [environmental factors](#) might affect whether these genes are switched on or off.

"We found that this could be happening for many of the [genes](#) we identified," Dr Ferreira said.

"For example, we found one gene – called PITPNM2 – that is more likely to be switched off in people who smoke. If this gene is switched off, then the risk of developing allergies increases."

According to the Australian Bureau of Statistics, about 11 per cent of Australians, or 2.5 million people, reported having [asthma](#) in 2014-15. According to the Australian Institute of Health and Welfare, nearly one in five Australians, or almost 4.5 million people, suffered from hay fever in 2014-15.

More information: Manuel A Ferreira et al. Shared genetic origin of asthma, hay fever and eczema elucidates allergic disease biology, *Nature Genetics* (2017). [DOI: 10.1038/ng.3985](https://doi.org/10.1038/ng.3985)

Provided by QIMR Berghofer

Citation: Scientists pinpoint genetic risk factors for asthma, hay fever and eczema (2017, October 31) retrieved 11 May 2024 from <https://medicalxpress.com/news/2017-10-scientists-genetic-factors-asthma-hay.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.