

Uncomfortable sight from an ancient reflex of the eye

October 31 2017



The three lead investigators -- left to right: Geoffrey Aguirre, Manuel Spitschan, David Brainard. Credit: Tommy Leonardi

The eyes are for seeing, but they have other important biological



functions, including automatic visual reflexes that go on without awareness. The reflexive system of the human eye also produces a conscious, visual experience, according to a new study from researchers in the Perelman School of Medicine and School of Arts and Sciences at the University of Pennsylvania. The findings, reported today in the *Proceedings of the National Academy of Sciences*, may provide insight into the excessive light sensitivity sometimes experienced by people with eye disease, migraine headaches and concussions.

The study addressed the properties of <u>melanopsin</u>, a blue-<u>light</u> sensitive protein in the eye that establishes the rhythm of the day-night cycle and the familiar constriction of the pupil to bright light. The researchers created a special <u>pulse</u> of light that stimulates only the melanopsin cells of the eye. They showed this light pulse to <u>people</u> and measured their <u>pupil response</u> and brain activity, as well as asked them what they saw. Remarkably, they found that people have brain activity and a visual experience in response to a light that is invisible to the parts of the eye normally used for seeing.

"Melanopsin is a part of our visual system from long ago in evolution, and it controls several important biological responses to light," said lead author, Manuel Spitschan, PhD, who received his doctorate from the Psychology program at Penn in 2016 and is now a Sir Henry Wellcome Postdoctoral Fellow at the University of Oxford. "It has been hard to know if we have a <u>visual experience</u> that accompanies these reflexes, as any normal light that stimulates melanopsin will also stimulate the cone cells of the eye that support our regular vision. We wouldn't know whether what a person sees arises from melanopsin or the cones."

To solve this problem, the Penn team developed a special kind of light pulse that stimulates melanopsin but is invisible to the cones. The lights were created using a machine that can sculpt and switch between computer-designed "rainbows" of light. First, the researchers had people



watch these light pulses while their pupil response was recorded. The scientists confirmed that a light pulse that is invisible to the cones evokes a slow, reflexive constriction of the pupil that is characteristic of melanopsin stimulation. They then measured <u>brain activity</u> using the technique of functional MRI, and found that the visual pathway of the brain responds to the melanopsin stimulus.

"This was a particularly exciting finding," said senior author Geoffrey K. Aguirre, MD, PhD, a behavioral neurologist and an associate professor of Neurology at Penn. "A neural response within the occipital cortex strongly suggests that people have a conscious experience of melanopsin stimulation that is explicitly visual."

The researchers then asked what people "see" with melanopsin. They had 20 people look at the pulses of light and provide ratings of different perceptual qualities. People described the melanopsin stimulus as a blurry kind of brightness, in contrast to the focused experience provided by the cones. They also described the melanopsin <u>light pulse</u> as unpleasant.

"This perceptual experience fits with what we know about the cells that contain melanopsin," said David H. Brainard, PhD, the RRL professor of Psychology. "There are relatively few of these melanopsin cells in the eye. Like a digital camera that doesn't have many pixels, we would expect the melanopsin system to give a blurry, indistinct image of the world."

Their work has particular relevance for understanding the experience of people with photophobia, who are overly sensitive to bright light and experience pain as a result. "Research in mice makes us think that melanopsin contributes to the sensation of discomfort from very bright light," Aguirre said. "Subjects in our study found the melanopsin stimulus to be unpleasant, and people with photophobia may experience



a stronger form of this response to melanopsin. We now have a tool to help us to better understand excessive light sensitivity."

More information: Manuel Spitschan et al. The human visual cortex response to melanopsin-directed stimulation is accompanied by a distinct perceptual experience, *Proceedings of the National Academy of Sciences* (2017). DOI: 10.1073/pnas.1711522114

Provided by Perelman School of Medicine at the University of Pennsylvania

Citation: Uncomfortable sight from an ancient reflex of the eye (2017, October 31) retrieved 10 May 2024 from <u>https://medicalxpress.com/news/2017-10-uncomfortable-sight-ancient-reflex-eye.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.