


## Benefits for new immunoassays for measuring A-beta-42 in CSF

November 9 2017



(HealthDay)—Concentrations of cerebrospinal fluid (CSF) β42-amyloid



42 (A $\beta$ 42) derived from new immunoassays may show improved agreement with visual flutemetamol F18 ([<sup>18</sup>F]flutemetamol)-labeled positron emission tomography (PET) assessment, according to a study published online Nov. 6 in *JAMA Neurology*.

Shorena Janelidze, Ph.D., from Lund University in Sweden, and colleagues examined the concordance between CSF Aβ42 levels measured using five different immunoassays and visual amyloid PET analysis in a study involving 262 patients with <u>mild cognitive impairment</u> or subjective cognitive decline who had undergone [<sup>18</sup>F]flutemetamol-labeled PET. Levels of CSF Aβ42 were analyzed using the classic INNOTEST, modified INNOTEST, full automated Lumipulse (FL), EUROIMMUN (EI), and Meso Scale Discovery (MSD) assays.

The researchers found that the mass spectrometry-derived A $\beta$ 42 values showed higher correlations with the modified A $\beta$ 42-INNOTEST, A $\beta$ 42-FL, A $\beta$ 42-EI, and A $\beta$ 42-MSD assays versus the classic A $\beta$ 42-INNOTEST assay. Recombinant A $\beta$ 1-40 peptide partially quenched the signal in the classic A $\beta$ 42-INNOTEST assay. Better concordance with visual [<sup>18</sup>F]flutemetamol PET status was seen for the classic A $\beta$ 42-INNOTEST assay versus the newer assays (area under the receiver operating characteristic curve, 0.92 versus 0.87 to 0.89; P  $\geq$  0.01). When A $\beta$ 42-to-A $\beta$ 40, A $\beta$ 42-to-total tau, or A $\beta$ 42-to-phosphorylated tau ratios were used, the accuracies of the newer assays improved significantly.

"These findings suggest the benefit of implementing the CSF A $\beta$ 42-to-A $\beta$ 40 or A $\beta$ 42-to-tau ratios as a biomarker of amyloid deposition in clinical practice and trials," the authors write.

Several authors disclosed financial ties to the pharmaceutical industry. GE Healthcare sponsored doses of [<sup>18</sup>F]flutemetamol injection, and



EUROIMMUN provided test kits.

## More information: <u>Abstract/Full Text</u>

Copyright © 2017 HealthDay. All rights reserved.

Citation: Benefits for new immunoassays for measuring A-beta-42 in CSF (2017, November 9) retrieved 2 May 2024 from https://medicalxpress.com/news/2017-11-benefits-immunoassays-a-beta-csf.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.