

## **Complications at birth associated with lasting chemical changes in the brain**

November 28 2017



Ball-and-stick model of the dopamine molecule, a neurotransmitter that affects the brain's reward and pleasure centers. Credit: Jynto/Wikipedia

New King's College London research, published today (28 November) in *eLife*, shows that adults born prematurely—who also suffered small



brain injuries around the time of birth—have lower levels of dopamine in the brain.

This chemical change has been linked to lack of motivation and enjoyment in normal life, and changes to attention and concentration, which could all be early signs of more serious mental health issues such as substance dependence and depression.

The study, which is a collaboration between researchers from King's, Imperial College London and the Icahn School of Medicine at Mount Sinai in New York, also shows that most people born prematurely have completely normal dopamine levels.

Mental health problems often arise from a complex mix of genetic factors which make people more vulnerable, and negative or stressful life-experiences. Difficulties at birth can be among the most dangerous and dramatic of those life experiences.

Around one in 10 people are born prematurely and most experience no major complications around the time of birth. However in 15-20 per cent of babies born before 32 weeks of pregnancy, bleeding happens in the first week of life in fluid-filled spaces called ventricles, which are contained in the <u>brain</u>. If bleeding is significant, it can cause long-term problems.

The biological link between birth complications and greater risk of mental health issues is unclear, but one theory is that the stress of a complicated birth could lead to increased levels of dopamine, which is also increased in people with schizophrenia.

The researchers used a combination of <u>positron emission tomography</u> (PET) scans and magnetic resonance imaging (MRI) scans of the brain with a range of psychological tests in order to identify the precise



changes to chemistry and structure of the brain following early brain damage. They compared three groups of people: adults who were born very preterm who sustained early brain damage, adults who were born very preterm who did not sustain brain damage and controls born at term.

Dr Sean Froudist-Walsh, the study's first author, who carried out the study at King's College London, said: "People have hypothesised for over 100 years that certain mental illnesses could be related to problems in <u>early brain development</u>. Studies using animal models have shown us how early brain damage and mental illness could be linked, but these theories had not been tested in experiments with humans.

"We found that dopamine, a chemical that's important for learning and enjoyment, is affected in people who had early brain injury, but not in the way a lot of people would have thought - dopamine levels were actually lower in these individuals. This could be important to how we think about treating people who suffered early brain damage and develop mental illness. I hope this will motivate scientists, doctors and policymakers to pay more attention to problems around birth, and how they can affect the brain in the long-term."

Dr Chiara Nosarti, the study's joint senior author from King's College London, said "The discovery of a potential mechanism linking early life risk factors to adult mental illness could one day lead to more targeted and effective treatments of psychiatric problems in people who experienced complications at <u>birth</u>."

Professor Oliver Howes, the study's other joint senior author, also from King's, said: "These findings could help develop approaches to prevent the development of problems in <u>people</u> who were born early."

More information: Sean Froudist-Walsh et al. The effect of perinatal



brain injury on dopaminergic function and hippocampal volume in adult life, *eLife* (2017). DOI: 10.7554/eLife.29088

Provided by King's College London

Citation: Complications at birth associated with lasting chemical changes in the brain (2017, November 28) retrieved 5 May 2024 from https://medicalxpress.com/news/2017-11-complications-birth-chemical-brain.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.