

Dog ownership linked to lower mortality

November 17 2017



Credit: CC0 Public Domain

A team of Swedish scientists have used national registries of more than 3.4 million Swedes aged 40 to 80 to study the association between dog ownership and cardiovascular health. Their study shows that dog owners had a lower risk of death due to cardiovascular disease or to other causes during the 12-year follow-up.

A total of more than 3.4 million individuals without any prior [cardiovascular disease](#) in 2001 were included in the researchers' study linking together seven different national data sources, including two [dog ownership](#) registers. The results are being published for the first time in *Scientific Reports*. The goal was to determine whether dog owners had a different risk of cardiovascular [disease](#) and death than non-dog owners.

"A very interesting finding in our study was that dog ownership was especially prominent as a protective factor in persons living alone, which is a group reported previously to be at higher risk of cardiovascular disease and death than those living in a multi-person household. Perhaps a dog may stand in as an important family member in the single households. The results showed that single dog owners had a 33 percent reduction in risk of death and 11 percent reduction in risk of cardiovascular disease during follow-up compared to single non-owners. Another interesting finding was that owners to dogs from breed groups originally bred for hunting were most protected," says Mwenya Mubanga, lead junior author of the study and PhD student at the Department of Medical Sciences and the Science for Life Laboratory, Uppsala University.

In Sweden, every person carries a unique personal identity number. Every visit to a hospital is recorded in national databases, accessible to researchers after de-identification of data. Even dog ownership registration has been mandatory in Sweden since 2001. These scientists studied whether being registered as a dog-owner was associated with later diagnosis of cardiovascular disease or [death](#) from any cause.

"These kind of epidemiological studies look for associations in large populations but do not provide answers on whether and how [dogs](#) could protect from cardiovascular disease. We know that [dog owners](#) in general have a higher level of physical activity, which could be one explanation to the observed results. Other explanations include an

increased well-being and social contacts or effects of the dog on the bacterial microbiome in the owner," says Tove Fall, senior author of the study and Associate Professor in Epidemiology at the Department of Medical Sciences and the Science for Life Laboratory, Uppsala University.

"There might also be differences between owners and non-owners already before buying a dog, which could have influenced our results, such as those people choosing to get a dog tending to be more active and of better health. Thanks to the population-based design, our results are generalisable to the Swedish population, and probably also to other European populations with similar culture regarding dog ownership," says Tove Fall.

More information: Mwenya Mubanga et al, Dog ownership and the risk of cardiovascular disease and death – a nationwide cohort study, *Scientific Reports* (2017). [DOI: 10.1038/s41598-017-16118-6](https://doi.org/10.1038/s41598-017-16118-6)

Provided by Uppsala University

Citation: Dog ownership linked to lower mortality (2017, November 17) retrieved 3 May 2024 from <https://medicalxpress.com/news/2017-11-dog-ownership-linked-mortality.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--