

Race a factor in intracranial atherosclerotic disease

November 2 2017



(HealthDay)—Black men have increased prevalence and frequency of

multiple intracranial atherosclerotic plaques, according to a study published online Nov. 1 in *JAMA Cardiology*.

Ye Qiao, Ph.D., from Johns Hopkins University School of Medicine in Baltimore, and colleagues examined [racial differences](#) in the prevalence of intracranial atherosclerotic disease (ICAD) and risk factors associated with its development among 1,752 black and white participants recruited from the Atherosclerosis Risk in Communities cohort study.

The researchers found that the prevalence and frequency of multiple plaques were higher for [black men](#) (prevalence: 50.9 versus 35.9, 35.5, and 30.2 percent for [black women](#), white men, and white women, respectively; and frequency: 22.4 versus 12.1, 10.7, and 8.7 percent, respectively). There was an increase in prevalence with age, reaching 50 percent before ages 68, 84, and 88 in black men, [white men](#), and [white women](#), respectively (prevalence remained below 50 percent for black women). Midlife hypertension and hyperlipidemia were associated with increased ICAD prevalence (prevalence ratios, 1.29 and 1.18, respectively), with no significant between-race differences. There was a correlation for midlife hypertension with larger plaques. Among black individuals, midlife smoking and diabetes were correlated with increased risk of ICAD (prevalence ratios, 2.02 and 1.57, respectively); these correlations were not seen for white participants.

"These associations may help to explain racial differences in U.S. stroke rates and offer insight into preventive risk-factor management strategies," the authors write.

Two authors have a patent for the magnetic resonance imaging technique used in this study; one author had a patent null issued.

More information: [Abstract/Full Text](#)

Copyright © 2017 [HealthDay](#). All rights reserved.

Citation: Race a factor in intracranial atherosclerotic disease (2017, November 2) retrieved 24 April 2024 from

<https://medicalxpress.com/news/2017-11-factor-intracranial-atherosclerotic-disease.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.