


Treating gum disease may help lower blood pressure

November 15 2017



Intensive dental treatment for gum disease lowered blood pressure up to 13 points. Credit: American Heart Association Scientific Sessions 2017, Presentation 372, Jun Tao

Treatment for gum disease, or periodontitis, significantly lowered blood pressure among Chinese patients at risk for developing high blood pressure, according to preliminary research presented at the American Heart Association's Scientific Sessions 2017, a premier global exchange of the latest advances in cardiovascular science for researchers and



clinicians.

This small study compared <u>blood pressure</u> levels after standard and intensive treatment for <u>gum disease</u>. The standard treatment included basic oral hygiene instructions and teeth cleaning with plaque removal above the gum line. The intensive treatment included the standard treatment along with cleaning down to the roots with local anesthesia, antibiotic treatment and dental extractions, if necessary.

Researchers found:

- One month after treatment, <u>systolic blood pressure</u> was nearly 3 points lower in participants receiving intensive treatment, but no significant difference was observed in <u>diastolic blood pressure</u>.
- Three months after treatment, systolic blood pressure was nearly 8 points lower and diastolic pressure was nearly 4 points lower in patients receiving intensive treatment.
- Six months after treatment, systolic blood pressure was nearly 13 points and diastolic blood pressure was almost 10 points lower in patients receiving intensive treatment.

"The present study demonstrates for the first time that intensive periodontal intervention alone can reduce <u>blood pressure levels</u>, inhibit inflammation and improve endothelial function," said study lead author Jun Tao, M.D., Ph.D., chief of the department of Hypertension and Vascular Disease and director of the Institute of Geriatrics Research at The First Affiliated Hospital of Sun Yat-sen University in Guangzhou, China.

Study participants included 107 Chinese women and men age 18 years and over with prehypertension and moderate to severe gum disease. Through random assignment, half of the participants received standard treatment and half received intensive treatment for gum disease.



Researchers noted additional research with patients from diverse backgrounds is needed.

In the United States, <u>high blood pressure</u> affects 29.1 percent of adults aged 18 and over in 2011 – 2012. High blood pressure is a major risk factor for heart and blood vessel disease. Fortunately, most people can manage the disease through diet and lifestyle changes, such as quitting smoking, maintaining a healthy weight, being physically active, limiting alcohol and taking prescribed medications properly.

Provided by American Heart Association

Citation: Treating gum disease may help lower blood pressure (2017, November 15) retrieved 13 May 2024 from https://medicalxpress.com/news/2017-11-gum-disease-blood-pressure.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.