

Research links heart function to brain's memory center

November 8 2017



Credit: Wikimedia Commons

Research by a team of Vanderbilt University Medical Center scientists suggests that older people whose hearts pump less blood have blood flow reductions in the temporal lobe regions of the brain, where Alzheimer's pathology first begins.

The brain, which accounts for only 2 percent of total body weight, typically receives 12 percent of [blood flow](#) from the heart—a level typically maintained by complex, automatic processes, which maintain consistent [blood](#) flow to the brain at all times.

Angela Jefferson, Ph.D., director of the Vanderbilt Memory & Alzheimer's Center, and colleagues at Vanderbilt University Medical Center investigated whether lower cardiac index (the amount of blood flowing out of the heart adjusted for body size) correlated with lower blood flow to the brain.

The purpose of the study was to better understand whether reductions in [brain blood flow](#) might explain clinical observations in prior research that have linked heart function to cognitive impairment, Alzheimer's disease and dementia.

"We currently know a lot about how to prevent and medically manage many forms of heart disease, but we do not yet know how to prevent or treat Alzheimer's disease," Jefferson said. "This research is especially important because it may help us leverage our knowledge about managing heart health to address and treat risk factors for memory loss in older adults before cognitive symptoms develop."

The study, published online in *Neurology* on Nov. 8, involved 314 Vanderbilt Memory & Aging Project participants with an average age of 73. Thirty-nine percent had mild [cognitive impairment](#), a condition that increases the risk of developing Alzheimer's disease or dementia while the remaining participants had normal cognitive function. Cardiac index was measured with echocardiography, and blood flow in the brain was measured with magnetic resonance imaging (MRI).

The magnitude of the association between lower cardiac index and lower [cerebral blood flow](#) in the [temporal lobe](#), a brain region critical for

memory processing, was estimated to correspond to 15 to 20 years of advancing age.

"One way to put these results into a meaningful context is to define how one year of aging relates to blood flow in the brain," Jefferson said.

"Then, we compare the effect of one year of aging to the effect of lower cardiac index. When we do that, we find that the effect of cardiac index on blood flow in the temporal lobes corresponds to 15 to 20 years of age."

The individuals who participated in the research are part of a longitudinal study that will continue to track their health and cognitive abilities.

The study published this month in *Neurology* raises questions about whether autoregulation of blood flow in the brain is less effective as people age, Jefferson said, as well as the greater role that vascular health may play in exacerbating Alzheimer's pathology or clinical symptoms of dementia.

"It is now clear from a growing body of research evidence that there is a strong connection between [heart](#) health and [brain](#) health," said Maria Carrillo, Ph.D., Alzheimer's Association Chief Science Officer. "We are pleased to have provided the initial seed funding for this intriguing science that is beginning to identify and investigate the mechanisms behind that connection. Those mechanisms, once confirmed, may hold the key to effective treatments and prevention strategies for Alzheimer's disease and other dementias."

Provided by Vanderbilt University Medical Center

Citation: Research links heart function to brain's memory center (2017, November 8) retrieved

26 April 2024 from

<https://medicalxpress.com/news/2017-11-links-heart-function-brain-memory.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.