


Lymphoma risk up with thiopurine, anti-TNF Tx in IBD

November 8 2017



(HealthDay)—For patients with inflammatory bowel disease (IBD), the

risk of lymphoma is increased with use of thiopurine monotherapy, anti-tumor necrosis factor (TNF) monotherapy, and combination therapy, according to a study published online Nov. 7 in the *Journal of the American Medical Association*.

Magali Lemaitre, Ph.D., from the Agence Nationale de Sécurité du Médicament et des produits de santé in France, and colleagues examined the risk of lymphoma associated with thiopurines and anti-TNF agents, alone or in combination, for the management of IBD. Data were included for 189,289 patients who were followed for a median of 6.7 years.

The researchers found that during follow-up, 123,069 patients were never exposed and 50,405, 30,294, and 14,229 were exposed to thiopurine monotherapy, anti-TNF monotherapy, and combination therapy, respectively. There were 336 lymphoma cases during follow-up: 220 in unexposed patients, 70 in patients exposed to thiopurine monotherapy, 32 in patients exposed to anti-TNF monotherapy, and 14 in patients exposed to combination therapy. The risk of lymphoma was significantly higher for those exposed to thiopurine monotherapy, anti-TNF monotherapy, or combination therapy versus unexposed [patients](#) (adjusted hazard ratios, 2.6, 2.41, and 6.11, respectively). The risk was significantly higher for those exposed to [combination therapy](#) versus thiopurine monotherapy or anti-TNF [monotherapy](#) (adjusted hazard ratios, 2.35 and 2.53, respectively).

"These findings may inform decisions regarding the benefits and risks of treatment," the authors write.

Two authors disclosed financial ties to the pharmaceutical industry.

More information: [Abstract/Full Text \(subscription or payment may be required\)](#)

Copyright © 2017 [HealthDay](#). All rights reserved.

Citation: Lymphoma risk up with thiopurine, anti-TNF Tx in IBD (2017, November 8) retrieved 3 May 2024 from

<https://medicalxpress.com/news/2017-11-lymphoma-thiopurine-anti-tnf-tx-ibd.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.