

Use of MMR deficiency testing in younger CRC patients is low

November 13 2017



(HealthDay)—Fewer than half of younger adults with colorectal cancer

(CRC) undergo mismatch repair (MMR) deficiency of DNA testing, according to a study published online Nov. 9 in *JAMA Oncology*.

Talha Shaikh, M.D., from Fox Chase Cancer Center in Philadelphia, and colleagues examined use of MMR deficiency testing in [adults](#) with CRC. They used data from the National Cancer Database to identify adult (30 to 49 years) patients with invasive colorectal adenocarcinoma diagnosed between 2010 and 2012 who had known MMR deficiency status. Data were included for 152,993 adults with CRC, of whom 43,143 underwent MMR deficiency testing.

The researchers found that 43.1 percent of the 17,218 [younger adults](#) underwent MMR deficiency testing, with an increase in the proportion from 2010 to 2012 (36.1 to 48 percent). Higher education level, later diagnosis year, early-stage disease, and number of regional lymph nodes examined (≥ 12) were independently associated with MMR deficiency testing regardless of age (odds ratios, 1.38, 1.81, 1.24, and 1.44). Associations were found for older age, Medicare, Medicaid, and uninsured status (odds ratios, 0.31, 0.89, 0.83, and 0.78) and for nonacademic versus academic/research facility type, rectosigmoid or rectal tumor location, unknown grade, and nonreceipt of definitive surgery (odds ratios, 0.44, 0.76, 0.61, and 0.33, respectively) with underuse of MMR testing.

"Overall utilization of testing is poor and significant underuse of testing among young adults persists. Interventions tailored to groups at risk for nonadherence to guidelines may be warranted in the current era of universal testing," the authors write.

More information: [Abstract/Full Text](#)
[Editorial \(subscription or payment may be required\)](#)

Copyright © 2017 [HealthDay](#). All rights reserved.

Citation: Use of MMR deficiency testing in younger CRC patients is low (2017, November 13)
retrieved 18 April 2024 from

<https://medicalxpress.com/news/2017-11-mmr-deficiency-younger-crc-patients.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.