

Treatment trajectories vary for children with depression

November 21 2017



(HealthDay)—For youths with depression, there are distinct treatment

trajectories, which have varying health outcomes, according to a study published online Nov. 20 in *JAMA Pediatrics*.

Nina R. Joyce, Ph.D., from Harvard Medical School in Boston, and colleagues conducted a longitudinal cohort study of youths aged 18 years or younger with a new diagnosis of depression and at least 12 months of follow-up from diagnosis. The authors used latent class models fit to summary measures of psychotherapy and antidepressant use in the 12 months after diagnosis. Data were included for 84,909 individuals with a mean age of 15.0 at index [diagnosis](#).

The researchers found that 70 percent of individuals received psychotherapy at any point during the assessment period, and 40 percent were dispensed antidepressants. There were eight classes identified with distinct treatment trajectories, which were classified into four groups: three classes received dual therapy (22 percent), two received antidepressant monotherapy (18 percent), two received psychotherapy monotherapy (48 percent), and one class received no treatment (13 percent). The most common [class](#) received psychotherapy monotherapy; during the assessment and post-assessment periods they had the lowest incidence of attempted suicide and inpatient hospitalizations. The highest incidence of attempted suicide during the assessment period and post-assessment period was seen for the group receiving dual therapy.

"In our sample, 13 percent of youths received no treatment, and 18 percent received antidepressants without concomitant [psychotherapy](#)," the authors write.

More information: [Abstract/Full Text \(subscription or payment may be required\)](#)

Copyright © 2017 [HealthDay](#). All rights reserved.

Citation: Treatment trajectories vary for children with depression (2017, November 21) retrieved 23 April 2024 from

<https://medicalxpress.com/news/2017-11-treatment-trajectories-vary-children-depression.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.