

C. difficile + kidney injury admissions are up

December 13 2017



(HealthDay)—Hospital admissions of patients with *Clostridium difficile*

infection (CDI) and accompanying acute kidney injury (AKI) are increasing, according to a study published online Dec. 4 in the *Journal of Gastroenterology and Hepatology*.

Paris Charilaou, M.D., from Rutgers Robert Wood Johnson Medical School in New Brunswick, N.J., and colleagues used data from the National Inpatient Sample (2003 to 2012; 2,859,599 patients) to estimate the effect of AKI on inpatient mortality of CDI patients.

The researchers found that the AKI prevalence was 22 percent. The overall mortality rate was 8.4 percent, but was 18.2 percent among AKI patients. When propensity matching patients, AKI increased mortality by 86 percent. From 2003 to 2012, CDI incidence increased by 1.8, while the rate of AKI increased from 12.6 to 28.8 percent. Hospitalizations increased over the study period; however, mortality decreased from 9.0 to 7.2 percent.

"AKI is a significant contributor to mortality, independently of other comorbidities, complications, and hospital characteristics, emphasizing the need for early diagnosis and aggressive management in such [patients](#)," the authors write.

More information: [Abstract](#)
[Full Text \(subscription or payment may be required\)](#)

Copyright © 2017 [HealthDay](#). All rights reserved.

Citation: C. difficile + kidney injury admissions are up (2017, December 13) retrieved 2 May 2024 from <https://medicalxpress.com/news/2017-12-difficile-kidney-injury-admissions.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is

provided for information purposes only.