

DPP-4 inhibitor has dissociated effects on β -cell function

December 20 2017



(HealthDay)—For healthy adults and individuals with well-controlled

type 2 diabetes (T2D), a single dose of the dipeptidyl peptidase-4 inhibitor sitagliptin is associated with increased standardized insulin secretion, with no impact on β -cell glucose sensitivity, according to a study published online Dec. 11 in *Diabetes, Obesity and Metabolism*.

Wathik Al Salim, M.D., from Lund University in Sweden, and colleagues examined the effects of a single dose of sitagliptin on glucose-standardized [insulin secretion](#) and β -cell sensitivity after meal ingestion. Twelve healthy and 12 drug-naive subjects with well-controlled T2D received sitagliptin or placebo before a meal.

The researchers found that, compared with placebo, sitagliptin was correlated with increased standardized insulin secretion in healthy and T2D subjects without increasing β -cell glucose sensitivity. Increases in active glucose-dependent insulintropic polypeptide (GIP) and glucagon-like peptide-1 (GLP-1) were also seen with [sitagliptin](#), as were decreases in total GIP but not total GLP-1 levels.

"We conclude that a single dose of DPP-4 inhibition induces dissociated effects on different aspects of β -cell function and incretin hormones after meal ingestion in healthy subjects and in well-controlled T2D," the authors write.

Several authors disclosed financial ties to the pharmaceutical industry.

More information: [Abstract](#)
[Full Text \(subscription or payment may be required\)](#)

Copyright © 2017 [HealthDay](#). All rights reserved.

Citation: DPP-4 inhibitor has dissociated effects on β -cell function (2017, December 20)
retrieved 26 April 2024 from

<https://medicalxpress.com/news/2017-12-dpp-inhibitor-dissociated-effects-cell.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.