

No link between pre-op cholesterol, post-op pain

December 13 2017



(HealthDay)—Preoperative levels of serum total cholesterol (TC) do not

correlate with postoperative pain following laparoscopic surgery for gastric cancer, according to research published online Nov. 23 in *PAIN Practice*.

Tak Kyu Oh, M.D., from the Seoul National University Bundang Hospital in South Korea, and colleagues retrospectively reviewed the medical records of 1,919 patients with [gastric cancer](#) who underwent laparoscopic gastrectomy between Jan. 1, 2011, and July 31, 2017. A correlation between pre-surgery TC levels, Numeric Rating Scale (NRS) scores, and opioid consumption on postoperative days (PODs) zero to three were investigated.

The researchers observed a weak, but significant, positive correlation between TC and NRS scores on PODs zero and one (P

"Preoperative serum TC levels have no effect on pain outcomes in the three days following laparoscopic gastric surgery," the authors write.

More information: [Abstract](#)
[Full Text \(subscription or payment may be required\)](#)

Copyright © 2017 [HealthDay](#). All rights reserved.

Citation: No link between pre-op cholesterol, post-op pain (2017, December 13) retrieved 26 April 2024 from
<https://medicalxpress.com/news/2017-12-link-pre-op-cholesterol-post-op-pain.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--