

Your mood depends on the food you eat, and what you should eat changes as you get older

December 11 2017



Credit: CC0 Public Domain

Diet and dietary practices differentially affect mental health in young

adults versus older adults, according to new research from Binghamton University, State University of New York.

Lina Begdache, assistant professor of health and wellness studies at Binghamton University, along with fellow Binghamton researchers, conducted an anonymous internet survey, asking people around the world to complete the Food-Mood Questionnaire (FMQ), which includes questions on food groups that have been associated with neurochemistry and neurobiology. Analyzing the data, Begdache and Assistant Professor of Systems Science and Industrial Engineering Nasim Sabounchi found that mood in young [adults](#) (18-29) seems to be dependent on food that increases availability of neurotransmitter precursors and concentrations in the brain (meat). However, mood in [mature adults](#) (over 30 years) may be more reliant on food that increases availability of antioxidants (fruits) and abstinence of food that inappropriately activates the sympathetic nervous system (coffee, [high glycemic index](#) and skipping breakfast).

"One of the major findings of this paper is that diet and dietary practices differentially affect [mental health](#) in young adults versus mature adults," said Begdache. "Another noteworthy finding is that young adult mood appears to be sensitive to build-up of brain chemicals. Regular consumption of meat leads to build-up of two brain chemicals (serotonin and dopamine) known to promote mood. Regular exercise leads to build-up of these and other neurotransmitters as well. In other words, [young adults](#) who ate meat (red or white) less than three times a week and exercised less than three times week showed a significant mental distress."

"Conversely, mature adult mood seems to be more sensitive to regular consumption of sources of antioxidants and abstinence of food that inappropriately activates the innate fight-or-flight response (commonly known as the stress response)," added Begdache. "With aging, there is an increase in free radical formation (oxidants), so our need for

antioxidants increases. Free radicals cause disturbances in the brain, which increases the risk for mental distress. Also, our ability to regulate stress decreases, so if we consume [food](#) that activates the stress response (such as coffee and too much carbohydrates), we are more likely to experience mental distress."

Begdache and her team are interested in comparing dietary intake between men and women in relation to mental [distress](#). There is a gender difference in brain morphology which may be also sensitive to dietary components, and may potentially explain some the documented gender-specific [mental distress](#) risk, said Begdache.

The paper, "Assessment of Dietary Factors, Dietary Practices and Exercise on Mental Distress in Young Adults versus Matured Adults: A Cross-Sectional Study," was published in *Nutritional Neuroscience*.

More information: Lina Begdache et al, Assessment of dietary factors, dietary practices and exercise on mental distress in young adults versus matured adults: A cross-sectional study, *Nutritional Neuroscience* (2017). [DOI: 10.1080/1028415X.2017.1411875](https://doi.org/10.1080/1028415X.2017.1411875)

Provided by Binghamton University

Citation: Your mood depends on the food you eat, and what you should eat changes as you get older (2017, December 11) retrieved 13 March 2024 from <https://medicalxpress.com/news/2017-12-mood-food-older.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.