


Neuroscientists show deep brain waves occur more often during navigation and memory formation

December 12 2017, by Elaine Schmidt



Real-time data downloaded from a patient's wireless implant reveal the deep brain waves that support spatial navigation and memory. Credit: University of California, Los Angeles

UCLA neuroscientists are the first to show that rhythmic waves in the brain called theta oscillations happen more often when someone is navigating an unfamiliar environment, and that the more quickly a person moves, the more theta oscillations take place—presumably to process incoming information faster.

In an unexpected finding, theta oscillations were most prominent in a <u>blind person</u> who relied on a cane to move. The scientists hypothesized



that a sightless person explores a strange environment through multiple senses, which would require more <u>brain activity</u> to process the extra sensory input.

Theta oscillations are one of several types of rhythmic waves in the <u>brain</u> that move, or oscillate, at different frequencies. Theta oscillations, which occur deep inside the brain, are named after the eighth letter in the Greek alphabet because they move up and down eight times per second. Scientists have long suspected that theta oscillations support our ability to learn new places and encode new memories, but no one had previously been able to test the hypothesis in humans.

The region responsible for regulating spatial navigation lies deep inside the brain. The inaccessible location has limited previous studies on the subject to rats or to people who were asked not to move because researchers needed them to be connected to hospital equipment.

The study was the first to use a wireless implant to directly record brain waves in real time as people moved freely through an environment.

Researchers analyzed four volunteers who previously had small wireless devices surgically implanted in their brains to prevent seizures. Dressed in motion-capture suits, the volunteers walked at different speeds in a large room as the implants recorded their theta oscillations. The UCLA team tracked the volunteers' movements and later correlated them to their deep brain waves.

The ability to navigate the world around us is a crucial part of daily life, and the study sheds light on the relationship of theta oscillations to human learning, memory and exploration. In addition, forgetting the route home is also one of the first clues of early Alzheimer's disease, and the new findings could help inform future studies and the development of new therapies for patients with memory disorders like Alzheimer's.



The research is published in the Nov. 30 issue of *Current Biology*.

More information: Zahra M. Aghajan et al. Theta Oscillations in the Human Medial Temporal Lobe during Real-World Ambulatory Movement, *Current Biology* (2017). DOI: 10.1016/j.cub.2017.10.062

Provided by University of California, Los Angeles

Citation: Neuroscientists show deep brain waves occur more often during navigation and memory formation (2017, December 12) retrieved 25 April 2024 from https://medicalxpress.com/news/2017-12-neuroscientists-deep-brain-memory-formation.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.