


# Pneumatic compression promising for lymphedema

December 28 2017

---



(HealthDay)—One treatment session with advanced pneumatic

compression is associated with reduced cancer-related head and neck lymphedema, according to a study published online Nov. 13 in *Head & Neck*.

Harvey N. Mayrovitz, Ph.D., from Nova Southeastern University in Fort Lauderdale, Fla., and colleagues assessed patient-reported comfort and potential clinical benefits of advanced pneumatic compression treatment for cancer-related head and [neck](#) lymphedema. The authors obtained multiple face and neck measurements on 44 patients with [head](#) and neck [lymphedema](#) before and after one treatment session.

The researchers found that most patients reported the treatment was comfortable (82 percent) and that they were feeling better after treatment (61 percent). The vast majority (93 percent) reported that they would likely use the therapy at home. There were overall small but statistically significant reductions in composite face and neck metrics. There were no adverse events reported.

"Results found the treatment to be safe, easy to use, and well tolerated, while demonstrating edema reduction after a single initial [treatment](#)," the authors write.

One author disclosed financial ties to the medical device industry.

**More information:** [Abstract](#)  
[Full Text](#)

Copyright © 2017 [HealthDay](#). All rights reserved.

Citation: Pneumatic compression promising for lymphedema (2017, December 28) retrieved 6 May 2024 from <https://medicalxpress.com/news/2017-12-pneumatic-compression-lymphedema.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.