


Salmonella cases no longer falling in the EU

December 12 2017



Salmonella forms a biofilm. Credit: CDC

The declining trend of salmonellosis cases in the European Union (EU) has levelled off according to the annual report on zoonotic diseases published today.

Cases of *Salmonella Enteritidis* acquired in the EU have increased in

humans by 3% since 2014 says the report, which is compiled by the European Centre for Disease Prevention and Control (ECDC) and the European Food Safety Authority (EFSA). In laying hens, the prevalence increased from 0.7% to 1.21% over the same period.

"The increase shown by our surveillance data is worrying and a reminder that we have to stay vigilant," said Mike Catchpole, ECDC's Chief Scientist. "Even in a state of high awareness and with national control programmes for *S. Enteritidis* in place, there is a need for continuing risk management actions at the Member State and EU level," he added.

Marta Hugas, EFSA's Chief Scientist, said: "The decrease of *Salmonella* has been a success story in the EU [food safety](#) system in the last 10 years. Recent *S. Enteritidis* outbreaks contributed to a change in this trend in humans and poultry. Further investigations by competent authorities in the field of public health and food safety will be crucial to understand the reasons behind the increase."

There were 94 530 human cases of salmonellosis reported in the EU in 2016. *S. Enteritidis* - the most widespread type of *Salmonella*, accounted for 59% of all salmonellosis cases originating in the EU and is mostly associated with the consumption of eggs, egg products and poultry meat.

Campylobacter* and *Listeria

Campylobacter, the most reported food-borne pathogen in humans, was detected in 246 307 people, an increase of 6.1% compared with 2015. Despite the high number of cases, fatalities were low (0.03%). Levels of *Campylobacter* are high in chicken meat.

Listeria infections, which are generally more severe, led to hospitalisation in 97% of reported cases. In 2016, listeriosis continued to rise, with 2 536 cases (a 9.3% increase) and 247 deaths reported. Most

deaths occur in people aged over 64 (fatality rate of 18.9%). People over 84 are particularly at risk ([fatality rate](#) of 26.1%). *Listeria* seldom exceeded legal safety limits in ready-to-eat foods.

***Salmonella* food-borne outbreaks increasing**

The 4 786 food-borne disease outbreaks reported in 2016 represent a slight increase in comparison with 2015 (4 362 outbreaks), but the figure is similar to the average number of outbreaks in the EU during 2010-2016.

Outbreaks due to *Salmonella* are on the rise, with *S. Enteritidis* causing one in six food-borne disease outbreaks in 2016.

Salmonella bacteria were the most common cause of food-borne outbreaks (22.3%), an increase of 11.5% compared to 2015. They caused the highest burden in terms of numbers of hospitalisations (1,766; 45.6% of all hospitalised cases) and of deaths (10; 50% of all deaths among outbreak cases).

Salmonella in eggs caused the highest number of [outbreak cases](#) (1 882).

More information: [ecdc.europa.eu/sites/portal/fi ... e-outbreaks-2016.pdf](https://ecdc.europa.eu/sites/portal/files/2017-12/salmonella-cases-longer-falling-eu-outbreaks-2016.pdf)

Provided by European Centre for Disease Prevention and Control (ECDC)

Citation: Salmonella cases no longer falling in the EU (2017, December 12) retrieved 19 April 2024 from <https://medicalxpress.com/news/2017-12-salmonella-cases-longer-falling-eu.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.