


Augmented Reality helps surgeons to 'see through' tissue and reconnect blood vessels

January 30 2018



The surgeon's view. Credit: 'Philip Pratt, et al. Eur Radiol Exp, 2018'

Using augmented reality in the operating theatre could help surgeons to improve the outcome of reconstructive surgery for patients.

In a series of procedures carried out by a team at Imperial College London at St Mary's Hospital, researchers have shown for the first time how surgeons can use Microsoft HoloLens headsets while operating on patients undergoing reconstructive lower limb surgery.

The HoloLens is a self-contained computer headset that immerses the wearer in 'mixed reality', enabling them to interact with 'holograms' - computer-generated objects made visible through the visor. In the UK, headsets are currently only available for developers.

The Imperial team used the technology to overlay images of CT scans - including the position of bones and key [blood vessels](#) - onto each patient's leg, in effect enabling the surgeon to 'see through' the limb during surgery.

According to the team trialling the technology, the approach can help surgeons locate and reconnect key [blood](#) vessels during reconstructive surgery, which could improve outcomes for patients.

"We are one of the first groups in the world to use the HoloLens successfully in the operating theatre," said Dr Philip Pratt, a Research Fellow in the Department of Surgery & Cancer and lead author of the study, published in *European Radiology Experimental*. "Through this initial series of patient cases we have shown that the technology is practical, and that it can provide a benefit to the surgical team. With the HoloLens, you look at the leg and essentially see inside of it. You see the bones, the course of the blood vessels, and can identify exactly where the targets are located."

Following a car accident or severe trauma, patients may have tissue

damage or open wounds that require reconstructive surgery using fasciocutaneous flaps. These flaps of tissue, which are taken from elsewhere on the body and include the skin and blood vessels, are used to cover the wound and enable it to close and heal properly.

A vital step in the process is connecting the blood vessels of the 'new' tissue with those at the site of the wound, so oxygenated blood can reach the new tissue and keep it alive.

The standard approach for this element of reconstructive surgery has been the use of a handheld scanner which uses ultrasound to identify blood vessels under the skin by detecting the movement of blood pulsing through them, enabling the surgeon to approximate where the vessels are and their course through the tissue.

"Augmented reality offers a new way to find these blood vessels under the skin accurately and quickly by overlaying scan images onto the patient during the operation," explained Dr Pratt.

Making the model

In the procedures used to trial the technology, five patients requiring reconstructive surgery on their legs underwent CT scans to map the structure of the limb, including the position of bones and the location and course of blood vessels.

Images from the scans were then segmented into bone, muscle, fatty tissue and blood vessels by Dr Dimitri Amiras, a consultant radiologist at Imperial College Healthcare NHS Trust (ICHNT), and loaded into intermediary software to create 3D models of the leg.

These models were then fed into specially designed software that renders the images for the HoloLens headset, which in turn overlays the model

onto what the surgeon can see in the operating theatre. Clinical staff are able to manipulate these AR images through hand gestures to make any fine adjustments and correctly line up the model with surgical landmarks on the patient's limbs, such as the knee joint or ankle bone.

Dr Amiras said: "St Mary's Hospital is a major trauma centre, giving us the opportunity to try and improve the pre-operative planning for reconstructive flaps. Over time, the scanning protocol has been optimised to give excellent images of the anatomy, however, at first we had to rely on rough measurements of anatomical landmarks taken from 3D CT reconstructions to guide surgery.

"Now, using the HoloLens, we can identify where the blood vessels are in 3D space and use virtual 3D arrows to guide the surgeon. Currently, data preparation is a time consuming process, but in the future much of this could be automated, with the consultant radiologist checking the accuracy of the model against the original scan. I think this is a great example of what can be achieved in an Academic Health Science Centre."

The surgeon's view

Mr Jon Simmons, a plastic and reconstructive surgeon at ICHNT, led the team who carried out the procedures using the HoloLens headset and augmented reality models. The cases ranged from a 41-year-old man who had sustained leg injuries during a [car accident](#), to an 85-year-old woman with a compound fractured ankle. The surgical teams reported the HoloLens to be a powerful tool in the theatre, with the approach being more reliable and less time-consuming than the ultrasound method of locating blood vessels.

"The application of AR technology in the operating theatre has some really exciting possibilities," said Mr Simmons. "It could help to simplify

and improve the accuracy of some elements of reconstructive procedures. While the technology can't replace the skill and experience of the clinical team, it could potentially help to reduce the time a patient spends under anaesthetic and reduce the margin for error. We hope that it will allow us to provide more tailored surgical solutions for individual patients."

The group highlights a few limitations with the technology, which could include errors during the modelling stages as well as the potential for the overlaid model to be misaligned. In addition, the case studies so far have been based on the leg, which has a number of clearly visible surgical 'landmarks', such as the ankle or knee. Areas without these rigid landmarks, such as abdomen, may be more complicated with a greater potential for movement of blood vessels.

However, the researchers are confident that, once refined, the approach could be applied to other areas of reconstructive surgery requiring tissue flaps, such as breast reconstruction following mastectomy. The next steps include trialling the technology in a larger set of patients, with procedures carried out by teams at multiple centres.

Dr Pratt added: "In future we hope to automate the process further. We can use software to improve the alignment and will attach markers to the patient when they have the scan, with the same markers present during the operation to use as additional points of reference. There are a number of areas we would like to explore, and further improvements are needed, but the small case series has shown that for [reconstructive surgery](#), this seems to be a valuable tool in the operating theatre."

More information: Philip Pratt et al, Through the HoloLens looking glass: augmented reality for extremity reconstruction surgery using 3D vascular models with perforating vessels, *European Radiology Experimental* (2018). [DOI: 10.1186/s41747-017-0033-2](https://doi.org/10.1186/s41747-017-0033-2)

Provided by Imperial College London

Citation: Augmented Reality helps surgeons to 'see through' tissue and reconnect blood vessels (2018, January 30) retrieved 5 May 2024 from

<https://medicalxpress.com/news/2018-01-augmented-reality-surgeons-tissue-reconnect.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.