

The comeback and dangers of the drug GHB

January 26 2018, by Joseph Palamar



Credit: Unsplash/CC0 Public Domain

A highly potent drug called GHB is making a comeback in nightlife scenes, along with overdoses and even death. On Jan. 23, 2018, "Storm Chaser" star Joel Taylor [died](#) on a cruise ship. Celebrity news site TMZ reported that Taylor may have used [GHB](#) in the hours before his death.

GHB, or gamma-hydroxybutyrate, has been referred to as a "date rape [drug](#)" by the media for decades, as it has been involved in instances of sexual predators spiking unsuspecting women's drinks to take advantage of them while unconscious. However, much of the public is unaware that most of use of this highly potent drug is actually intentional.

I am a public health researcher who studies party drug use in the nightclub scene. I have learned a great deal through my research and through what I have witnessed firsthand in my years in this scene. Use of this drug largely disappeared from the scene, but it appears to be emerging again in popularity.

Initially, a sleep aid

GHB gained popularity in the 1990s, when it was sold over-the-counter in vitamin supplement stores as a sleep aid and growth hormone enhancer. In [1990](#), at least 100 people were reportedly poisoned using GHB, and the Food Drug Administration banned sales of the substance. However, availability continued, as did [outbreaks](#) of poisonings.


Use can lead to a [range](#) of adverse effects ranging from nausea and vomiting to seizures, repressed breathing, and even death. Despite the ban, GHB use increased throughout the 1990s, and the drug was made [illegal to possess](#) in March 2000. Recreational use eventually decreased, but there appears to be a recent uptick in use—especially in the [gay](#) party scene.

While GHB induces sleep, the drug causes users to feel high before falling unconscious. Therefore, in my observation, most users of GHB attempt to take small doses in order to experience the high without falling unconscious. This practice of using GHB to get high began in the 1990s and led to GHB's popularity in nightclubs.

However, doses of GHB are difficult to calibrate as it is highly potent with a steep dose-response curve, and co-using GHB with alcohol increases its effects. Higher than intended doses or combining it with drugs like alcohol can easily render someone unconscious.

The party scene

What is particularly unique about GHB is that onset of unconsciousness can occur quickly. A user can be dancing and talking with friends, yet a few seconds later fall on the floor unconscious and temporarily unwakeable. In fact, [most](#) users expect to "overdose" at some point and fall unconscious.



Credit: AI-generated image ([disclaimer](#))

Witnessing the problems associated with GHB use so often in nightclubs was the main reason I became a drug researcher. I was deeply immersed in the after-hours New York City nightclub scene in the late 1990s and early 2000s, when GHB popularity was at its peak.

By 2001, almost every week I witnessed multiple overdoses. I've helped carry unconscious bodies from dance floors, I've had good friends of mine die after using GHB, and I had even witnessed some of the infamous hidden [rooms](#) in some nightclubs that held bodies of unconscious users where nightclub staff waited for them to gain consciousness hours later. Some New York City nightclubs even had their own private [ambulance](#) services in order to not alert authorities about the GHB problem in their venues.

GHB use declined in response to the abundance of overdoses and increased [stigma](#) toward use. In New York City, some [major venues](#) closed, largely in response to so many GHB overdoses.

The popularity of GHB

GHB is by no means a popular drug in the general population. Only about 3 out of 1,000 young adults (age 18-25) in the U.S. are [estimated](#) to have ever knowingly used the drug.

But things are much different in the nightclub scene. My colleagues and I, for example, found that among electronic dance music attendees in New York City in [2015](#), nearly 1 out of 10 attendees reported ever using GHB. However, most of the individuals we surveyed identified as heterosexual.

Use is more prevalent among gay men and men who have sex with men (MSM) in party scenes. For example, a recent [study](#) of MSM nightclub attendees in South London found that more than half reported GHB use

in the past year.

But GHB is not only popular in the nightclub scene for dancing and socializing; it is a leading "ChemSex" drug—meaning it is often used intentionally to intensify sex. This is particularly prevalent among [MSM](#).

What can be done to prevent more deaths?

GHB, due to its high likelihood of leading to overdose, is one of the most deleterious drugs to ever reach the party scene. Stigma toward users was a leading method of reducing prevalence in the early 2000s, and anti-GHB campaigns in the nightclub scene have already begun in [Canada](#) in response to recent overdoses. However, while stigma might prevent some people from using, this will lead others to resort to hiding their use. And hidden use is riskier.

The new generation of partiers needs to learn from the past. Yes, there are plenty of partiers who use GHB "safely," and harm reduction techniques should be used among those who insist on using. But GHB commonly results in overdoses, and as is shown by the death of Joel Taylor who is suspected of taking GHB, sometimes use can lead to fatal outcomes.

This article was originally published on [The Conversation](#). Read the [original article](#).

Provided by The Conversation

Citation: The comeback and dangers of the drug GHB (2018, January 26) retrieved 5 May 2024 from <https://medicalxpress.com/news/2018-01-comeback-dangers-drug-ghb.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.