


Human protein may aid neuron invasion by virus that causes hand, foot, and mouth disease

January 11 2018



Involvement of mitochondrial PHB in viral replication. NSC-34 cells were infected with EV71 at M.O.I. 10. At 48 h.p.i., the cells were fixed using ice cold methanol and subjected to immunostaining using specific antibodies against mitochondria (green), PHB (red) and dsRNA (blue). Images were post-processed using ImageJ to reveal the co-localization signal. Scale bar represents 20 um. Credit: Mr TOO Issac.

A human protein known as prohibitin may play a significant role in infection of the nervous system by EV71, one of several viruses that can cause hand, foot, and mouth disease. Issac Too of the National University of Singapore and colleagues highlight this finding in a new *PLOS Pathogens* study.



Hand, foot, and mouth disease is usually mild, with symptoms such as skin rash and fever. However, especially if caused by EV71, it sometimes leads to <u>neurological complications</u> in young children. EV71 is closely related to poliovirus and has recently received increased attention due to its life-threatening effects. Yet, the molecular mechanisms behind EV71 nervous system infection remain unclear.

To better understand these mechanisms, Too and colleagues infected human motor neuron <u>cells</u> with EV71 and compiled a list of human proteins that showed changes in activity during infection. Additional experiments, including gene knockdown, surfaced prohibitin as a likely infection aide; prohibitin is a multi-functional protein found in <u>human</u> <u>cells</u> and in many other organisms.

The researchers then used a variety of molecular biology techniques to investigate prohibitin's precise role in EV71 nervous system infection. They demonstrated that prohibitin found on the surface of motor neuron cells was involved in entry of EV71 into those cells. Within the cells, prohibitin associated with mitochondria was required for the virus to replicate itself.

Next, the team explored the effects of an anti-cancer drug known as Rocaglamide (Roc-A), which is known to inhibit the activity of prohibitin. They found that treating EV71-infected neuronal cells with Roc-A resulted in significantly lower cellular levels of the virus than seen in <u>untreated cells</u>. Furthermore, EV71-infected mice given Roc-A lived longer than untreated mice and had lower levels of the virus in their spinal cord and brain.

These findings suggest that prohibitin may play a pivotal role in EV1 infection of the nervous system in humans. Repurposing Roc-A or developing new drugs to target prohibitin could potentially help prevent or limit the neurological complications of EV71 infection. Further



research is needed to refine understanding of prohibitin's molecular role and corresponding treatment possibilities.

"This study identifies PHB as the first host factor that is specifically involved in EV71 <u>infection</u> of the CNS," the authors further explain. "PHB is a druggable target (targeted by Rocaglamide) and as such, it is hoped that our work paves the way towards an effective treatment able to prevent the neurological complications associated with EV71 infections."

More information: Too IHK, Bonne I, Tan EL, Chu JJH, Alonso S (2018) Prohibitin plays a critical role in Enterovirus 71 neuropathogenesis. *PLoS Pathog* 14(1): e1006778. doi.org/10.1371/journal.ppat.1006778

Provided by Public Library of Science

Citation: Human protein may aid neuron invasion by virus that causes hand, foot, and mouth disease (2018, January 11) retrieved 3 May 2024 from https://medicalxpress.com/news/2018-01-human-protein-aid-neuron-invasion.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.