

## At least three out of five people who try a cigarette become daily smokers

January 9 2018

---



Credit: Vera Kratochvil/public domain

At least 61 per cent of people who try their first cigarette become, at least temporarily, daily smokers, suggests an analysis of survey data by Queen Mary University of London.

The findings, from over 215,000 survey respondents and published in the journal *Nicotine & Tobacco Research*, provides strong support for

prioritising efforts to reduce cigarette experimentation among adolescents.

Lead researcher Professor Peter Hajek from Queen Mary said: "This is the first time that the remarkable hold that cigarettes can establish after a single experience has been documented from such a large set of data.

"In the development of any addictive behaviour, the move from experimentation to daily practice is an important landmark, as it implies that a recreational activity is turning into a compulsive need. We've found that the conversion rate from 'first time smoker' to 'daily smoker' is surprisingly high, which helps confirm the importance of preventing cigarette experimentation in the first place.

"The UK is seeing a dramatic reduction in [smoking](#) at the moment and this tallies with recent findings that only 19 per cent of 11-15 year olds have ever tried a cigarette, so the good news is that we are on the right track."

The researchers searched the Global Health Data Exchange for relevant surveys that included questions about ever trying a cigarette and ever smoking daily. Datasets from eight surveys were found from the UK, USA, Australia and New Zealand, and the [survey](#) methods were found to be on par with best practice. Data were analysed to calculate the conversion rate from ever trying a cigarette to ever smoking daily.

The team calculated that 60.3 per cent of respondents had said they had ever tried a cigarette, and among those, an estimated 68.9 per cent said they had progressed to daily smoking.

The different surveys used different methodologies and yielded different results, so the estimated 68.9 per cent 'conversion rate' from experimentation to daily smoking has a margin of error (between 60.9

and 76.9 per cent).

Given the high conversion rate found in all existing surveys, the researchers suggest that at least some of the reduction in [smoking prevalence](#) observed over the past 20 years is likely due to reduced [experimentation](#) with cigarettes among adolescents.

Professor Peter Hajek added: "Concerns were expressed that e-cigarettes could be as addictive as conventional cigarettes, but this has not been the case. It is striking that very few non-smokers who try e-cigarettes become daily vapers, while such a large proportion on non-smokers who try conventional cigarettes become daily smokers. The presence of nicotine is clearly not the whole story."

The study's limitations include the fact that surveys yielded somewhat different results, so the estimated conversion rate is only approximate. There are also questions that can be raised over the accuracy of the recall people have in surveys concerning their smoking history.

Declaration of Interests: Professor Peter Hajek provided consultancy to and received research funding from manufacturers of stop-smoking medications.

**More information:** Max Birge et al, What proportion of people who try one cigarette become daily smokers? A meta analysis of representative surveys., *Nicotine & Tobacco Research* (2017). [DOI: 10.1093/ntr/ntx243](#)

Provided by Queen Mary, University of London

Citation: At least three out of five people who try a cigarette become daily smokers (2018,

January 9) retrieved 19 April 2024 from <https://medicalxpress.com/news/2018-01-people-cigarette-daily-smokers.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.