


Same-day, low-dose bowel prep feasible for colonoscopy

January 2 2018



(HealthDay)—A same-day, low-dose, 1-liter polyethylene glycol-based

(1L-PEG) bowel preparation can achieve similar bowel cleansing to split-dose 4L-PEG bowel preparation in select high-risk patients before colonoscopy, according to a study published online Dec. 21 in the *Journal of Digestive Diseases*.

Stefano Pontone, M.D., Ph.D., from Sapienza University of Rome, and colleagues randomly assigned 44 hospitalized patients scheduled for colonoscopy and presenting with clinical risk factors for poor [bowel preparation](#) to either same-day 1L-PEG [bowel preparation](#) (Group A) or a split-dose 4L-PEG bowel preparation (Group B).

The researchers found that optimal bowel cleansing was reached in 63 and 56 percent ($P = 0.64$) of patients in Groups A and B, respectively. The adenoma detection rates were similar between the groups (14 percent in Group A versus 19 percent in Group B; $P = 0.34$). The large majority of [patients](#) (86 percent) received a valid diagnosis after a mean hospitalization of three days for Group A and six days for Group B ($P = 0.04$).

"Our data support that the schedule protocol proposed in this study enables a clear diagnosis in most of the inpatients facing a high risk for poor bowel preparation and no statistical differences are found between the two groups in terms of successful bowel cleansing achieved," the authors write. "Therefore, the same-day, low dose 1L-PEG bowel preparation could be introduced for selected inpatients."

More information: [Abstract](#)
[Full Text \(subscription or payment may be required\)](#)

Copyright © 2017 [HealthDay](#). All rights reserved.

Citation: Same-day, low-dose bowel prep feasible for colonoscopy (2018, January 2) retrieved 18

April 2024 from

<https://medicalxpress.com/news/2018-01-same-day-low-dose-bowel-prep-feasible.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.