

# Nearly all cannabis seized by UK police is high-strength 'skunk' – here's why we should be worried

February 28 2018, by Marta Di Forti

---



Credit: AI-generated image ([disclaimer](#))

Fully 94% of the cannabis seized by British police in 2016 was high-potency cannabis known as "skunk", our [latest research reveals](#). By comparison, skunk comprised 85% of cannabis seized in 2008, and just 51% in 2005. This should be cause for alarm as previous research has

shown that using skunk increases a person's risk of developing psychosis, [roughly threefold](#), compared with those who never use cannabis.

Cannabis potency is also [linked to](#) rising rates of treatment for cannabis-related problems. Cannabis now accounts for around 50% of all first-time admissions to specialist drug treatment centres.

There are broadly three preparations of [cannabis](#). The first is [skunk](#), which is made from the unpollinated flowers of the female plant and contains high levels of the active ingredient tetrahydrocannabinol (THC). The second is traditional herbal cannabis, which is made from the flowers and leaves of the female cannabis plant. It has less THC than skunk and also contains cannabidiol (CBD), which is known to lessen the risk of psychosis caused by TCH. The third form is hashish, which is the made from cannabis resin. As with herbal cannabis, hashish has less THC than skunk and it does contain some CBD.

Since the 2008 survey of cannabis seized by the police, we have been in the dark about changes to the types of cannabis and their potency available across England. To address this issue, we set out to quantify the relative proportions of skunk, traditional herbal cannabis and hashish being used at the time of police arrest in 2015 and 2016 in London, Sussex, Kent, Derbyshire and Merseyside.

Although skunk now clearly dominates the market, the potency has remained about the same since 2005, with average concentration of THC at 14% and no detectable traces of CBD.

An important change, however, is the sharp reduction in availability of weaker cannabis resin (hashish): from 43% in 2005, to 14% in 2008, and then just 6% in 2016 (and only 1% in London). The average concentration of THC in resin has also increased from 4% to 6%. We also found a reduction in CBD content in cannabis resin since 2005-2008 with a consequent change in the ratio of THC to CBD – no longer the

benign 1:1, but now 3:1.



A sample of the cannabis seized by British police in 2016. Credit: David Potter

## **The disappearance of choice**

The disappearance of a type of cannabis rich in CBD, which is almost entirely absent from skunk, poses a significant hazard to users' mental health, and reduces their option to choose more benign forms of the drug.

A [recent study](#) even suggested that CBD might help to improve

symptoms in patients suffering from a psychosis. This is in contrast with the research showing that daily use of cannabis that is high in THC and lacking in CBD, such as skunk, increases the risk of developing psychotic disorders fivefold.

Our study emphasises the importance of developing public education campaigns on the different types of street cannabis and their potential hazards. Public education is our most powerful tool in primary prevention, as tobacco-harm awareness campaigns have proven.

This article was originally published on [The Conversation](#). Read the [original article](#).

Provided by The Conversation

Citation: Nearly all cannabis seized by UK police is high-strength 'skunk' – here's why we should be worried (2018, February 28) retrieved 23 April 2024 from <https://medicalxpress.com/news/2018-02-cannabis-seized-uk-police-high-strength.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.