

Culturally adapted intervention may help Hispanics with serious mental illness

February 2 2018, by Neil Schoenherr



Credit: Washington University in St. Louis

The first study to examine the initial impact of a culturally-adapted health care manager intervention aimed at helping Hispanics with serious mental illness finds the intervention shows potential for improving their



health outcomes.

"Bridges to Better Health and Wellness' is a promising intervention that can help to address some of the <u>health care</u> disparities faced by Hispanics with serious mental illness (SMI), a population that is often overlooked in the literature and in the system of care," said lead author Leopoldo Cabassa, associate professor at the Brown School and an expert in racial and ethnic disparities in health and <u>mental health care</u>.

The study, "Bridges to Better Health and Wellness: An Adapted Health Care Manager Intervention for Hispanics with Serious Mental Illness," was published this month in the journal Administration and Policy in Mental Health and Mental Health Services Research.

"This pilot study represents an important and initial step in the development of evidence-based interventions that are needed to combat the persistent health care inequities that disproportionately impact Hispanics with SMI," Cabassa said.

The program is a version of an existing intervention, PCARE, developed and tested by Benjamin Druss of Emory University, adapted for the Hispanic culture.

The adaptations were conducted to increase the relevance of PCARE to Hispanic patients since the original intervention was not designed for this population and included a limited number of Hispanics in the original trial, Cabassa said.

"We also expanded the use of PCARE to a new provider group, masterslevel social workers, since this a growing workforce that delivers most of the mental health care in the U.S."

The intervention was delivered by bilingual health care managers and all



intervention materials were translated and available in Spanish.

Thirty-four Hispanics with SMI, and at risk for cardiovascular disease, were enrolled in the study. Mixed-linear models were used to examine changes over 12 months in five categories: patient activation, self-efficacy, patient-rated quality of care, receipt of preventive primary care services and quality of life. The majority of participants completed the intervention (85 percent) with high satisfaction. Significant improvements were found in four categories: patient activation, self-efficacy, patients' ratings of quality of care and receipt of preventive primary care.

Why might Hispanics with SMI need a tailored solution for their physical health?

"There is some evidence that compared to non-Hispanic whites with serious mental illness, Hispanics with SMI show increased risk of experiencing cardiovascular-related mortality, negative metabolic abnormalities, including weight gain, associated with antipsychotic treatments, and higher prevalence of diabetes mellitus and metabolic syndrome," Cabassa said.

"On top of the structural barriers that people with SMI face in accessing and using <u>primary care services</u>, Hispanics with SMI have to contend with additional obstacles to care related to their minority status, including language barriers and mistrust of the health care system due to discrimination toward minorities and immigrants in the U.S.," he said.

In addition, Cabassa said, cultural factors are known to impact health care, such how people perceive and report their health conditions and how people relate and interact with the health-care system.

"Attention to these cultural factors and incorporating them into the



intervention can help to enhance the relevance of the intervention, thus increasing treatment engagement and hopefully benefits," he said.

"Our study is one of the few studies to date to have adapted and tested a health-care manager intervention delivered by social workers that focuses on the Hispanic population. There is a stark underrepresentation of Latinos in these types of intervention studies, so up to now there was little to no evidence indicating that these interventions could benefit this population."

More information: Leopoldo J. Cabassa et al. Bridges to Better Health and Wellness: An Adapted Health Care Manager Intervention for Hispanics with Serious Mental Illness, *Administration and Policy in Mental Health and Mental Health Services Research* (2016). DOI: 10.1007/s10488-016-0781-y

Provided by Washington University in St. Louis

Citation: Culturally adapted intervention may help Hispanics with serious mental illness (2018, February 2) retrieved 6 May 2024 from https://medicalxpress.com/news/2018-02-culturally-intervention-hispanics-mental-illness.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.