


Study sheds light on genetic overlap between major psychiatric disorders

February 8 2018



Dr. Daniel Geschwind. Credit: UCLA Health

Most medical disorders have well-defined physical characteristics seen in tissues, organs and bodily fluids. Psychiatric disorders, in contrast, are not defined by such pathology, but rather by behavior.

A UCLA-led study, appearing Feb. 9 in *Science*, has found that autism, schizophrenia and bipolar disorder share some physical characteristics at the [molecular level](#), specifically, patterns of gene expression in the brain. Researchers also pinpointed important differences in these disorders' gene expression.

"These findings provide a molecular, pathological signature of these disorders, which is a large step forward," said senior author Daniel Geschwind, a distinguished professor of neurology, psychiatry and human genetics and director of the UCLA Center for Autism Research and Treatment. "The major challenge now is to understand how these changes arose."

Researchers know that certain variations in genetic material put people at risk for psychiatric disorders, but DNA alone doesn't tell the whole story. Every cell in the body contains the same DNA; RNA molecules, on the other hand, play a role in [gene expression](#) in different parts of the body, by "reading" the instructions contained within DNA.

Geschwind and the study's lead author, Michael Gandal, reasoned that taking a close look at the RNA in human brain tissue would provide a molecular profile of these psychiatric disorders. Gandal is an assistant professor of psychiatry and biobehavioral sciences at UCLA.

Researchers analyzed the RNA in 700 tissue samples from the brains of deceased subjects who had autism, schizophrenia, bipolar disorder, [major depressive disorder](#) or alcohol abuse disorder, comparing them to samples from brains without [psychiatric disorders](#).

The molecular pathology showed significant overlap between distinct disorders, such as autism and schizophrenia, but also specificity, with major depression showing molecular changes not seen in the other disorders.

"We show that these [molecular changes](#) in the brain are connected to underlying genetic causes, but we don't yet understand the mechanisms by which these genetic factors would lead to these changes," Geschwind said. "So, although now we have some understanding of causes, and this new work shows the consequences, we now have to understand the mechanisms by which this comes about, so as to develop the ability to change these outcomes."

More information: M.J. Gandal et al., "Shared molecular neuropathology across major psychiatric disorders parallels polygenic overlap," *Science* (2018). [science.sciencemag.org/cgi/doi ... 1126/science.aad6469](https://science.sciencemag.org/cgi/doi/10.1126/science.aad6469)

Provided by University of California, Los Angeles

Citation: Study sheds light on genetic overlap between major psychiatric disorders (2018, February 8) retrieved 23 April 2024 from <https://medicalxpress.com/news/2018-02-genetic-overlap-major-psychiatric-disorders.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--