

# Tiny brain region sorts out stressful memories

February 14 2018

---



Credit: New York University

A tiny part of the brain plays a big role in what we successfully remember during stressful or emotional situations, according to a new USC study.

Researchers at the USC Leonard Davis School of Gerontology found that the [locus](#) coeruleus, a small region in the brainstem, is helping to select and form what are known as "adaptive memories," which are important for survival.


"This area in the brainstem is helping us catalog the memories of experiences that are exciting or traumatic," said the senior author Mara Mather, a professor at the USC Leonard Davis School of Gerontology. "During these experiences, it is sorting which information is important to remember to help us avoid similar negative situations in the future."

The locus coeruleus is highly connected to the rest of the brain. This small nucleus releases norepinephrine, a neurotransmitter and hormone responsible for regulating heart rate, attention, memory and cognition.

The memories that get preserved during arousing or frightening events may seem random. For instance, a witness to a robbery may recall what they were wearing that day but forget the perpetrator's face.

"A surge in locus coeruleus activity during highly emotional or arousing events, such as a car crash or a scene of violence, helps to transform those experiences into vivid and lasting memories," said David Clewett, the study's lead author and a New York University postdoctoral fellow who completed a Ph.D. in neuroscience at USC in 2016.

The study was published February 7 in the *Journal of Neuroscience*.



Credit: New York University

## Measuring stress

For the study, the researchers sought to uncover how processes in the brain govern which memories get preserved during highly [emotional situations](#), especially when an individual is faced with a threat.

The researchers recorded arousal and locus coeruleus activity in 22

participants using both brain scans and the measurement of pupil dilation in participants' eyes—an outwardly visible marker for emotional arousal and locus coeruleus activity.

While undergoing a functional MRI, participants were shown images of scenes with photos of objects superimposed over them. The participants' task was to focus on and memorize each scene while ignoring the distracting objects.

On some trials, participants were given a punishment threat—a sharp buzzer sound signaling that they would lose money if they failed to accurately remember the appropriate scene image. Following the scans, subjects took a memory test to see if they remembered the relevant background images and the less important foreground images.

## **Memory as a survival mechanism**

The threat of losing money led to higher levels of activity in the locus coeruleus on fMRI scans as well as more pupil dilation on average at the time of scanning, indicating a higher level of emotional arousal when additional focus was needed. Subjects also showed better memory for the background images relevant to the monetary goal but worse recollection for the irrelevant foreground images, indicating that the threat-based [emotional arousal](#) led to the enhancement of important memories-and the suppression of memories not relevant to protecting against the threat.

Clewett said that this process would potentially enable individuals to draw upon strengthened memories to avoid unpleasant outcomes in the future.

Previous research by Mather, director of the USC Emotion and Cognition Laboratory, has highlighted the locus coeruleus and its roles in

cognition and memory. Current research in the lab focuses on how locus coeruleus function changes in aging and Alzheimer's disease. "Becoming more easily distracted by irrelevant information is one hallmark of aging and we are especially interested in how changes in the [locus coeruleus](#) might contribute to attention and [memory](#) changes in aging," Mather said.

**More information:** David V. Clewett et al. Locus Coeruleus Activity Strengthens Prioritized Memories Under Arousal, *The Journal of Neuroscience* (2018). [DOI: 10.1523/JNEUROSCI.2097-17.2017](https://doi.org/10.1523/JNEUROSCI.2097-17.2017)

Provided by New York University

Citation: Tiny brain region sorts out stressful memories (2018, February 14) retrieved 9 April 2024 from <https://medicalxpress.com/news/2018-02-tiny-brain-region-stressful-memories.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
---