

# **Fitness tracker data can enhance biomedical research and personalized health**

February 27 2018

---



Fitness trackers can be used to predict various markers of risk for cardiovascular diseases such as obesity, high blood pressure and high blood sugar. Credit: Filip Mroz on Unsplash

Wearable sensors are not just useful for personal fitness tracking, but can also be used to gain new insights in several fields of biomedical research. In a research article publishing February 27 in the open access journal PLOS Biology, Weng Khong Lim and colleagues from the SingHealth Duke-NUS Institute of Precision Medicine, Singapore, and the National Heart Centre Singapore show that wearables are not only able to identify groups of volunteers with similar patterns of daily activity, but can also predict various markers of risk for cardiovascular diseases such as obesity, high blood pressure and high blood sugar.

The increasing availability and take-up of low-cost consumer-grade wearables has given rise to considerable interest in investigating how these devices can enhance and augment biomedical research and healthcare. Answering this question, however, has proved challenging, largely due to a lack of comprehensive datasets that integrate wearable data with other data types.

The researchers profiled 233 normal volunteers using multiple approaches, including wearable-based activity and heartrate monitoring, lifestyle questionnaires, cardiac imaging, serum lipidomics (profiling of fats in the blood), and a battery of other clinical tests. Notably, the team found that wearable activity data could be used to identify active individuals at increased risk of having enlarged hearts, a condition also known as "Athlete's heart", commonly thought only to affect competitive athletes. The team also showed that activity data from wearables can

predict circulating levels of a class of lipids known as ceramides, which have been associated with obesity, diabetes and heart disease.

"An enlarged left ventricle could be caused by heart disease or harmless adaptation to sustained exercise, and these two conditions share overlapping features. Activity data from wearables may help us identify individuals more likely to have this condition due to exercise, and are therefore at risk of misdiagnosis in the clinic," said senior author Professor Stuart Cook

"Compared to their more sedentary counterparts, active volunteers had lower levels of circulating ceramides. In the past, researchers studying the interaction between lifestyle and lipid metabolism would have relied on questionnaires or expensive experimental studies." said Associate Professor Khung Keong Yeo, another study senior author.

This study is the result of collaborative research, and as senior author Professor Patrick Tan notes, "discoveries such as this are only possible through multi-disciplinary partnerships between clinicians, clinical researchers and health data scientists, and access to high quality multi-modality data from well-phenotyped cohorts."

#####

In your coverage please use this URL to provide access to the freely available article in PLOS Biology:

<http://journals.plos.org/plosbiology/article?id=10.1371/journal.pbio.2004285>

Citation: Lim WK, Davila S, Teo JX, Yang C, Pua CJ, Blöcker C, et al. (2018) Beyond fitness tracking: The use of consumer-grade wearable data from normal volunteers in cardiovascular and lipidomics research. PLoS Biol 16(2): e2004285.

<https://doi.org/10.1371/journal.pbio.2004285>

Funding: Tanoto Foundation <http://www.tanotofoundation.org/en/>. Received by SAC. The funder had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript. Lee Foundation. Received by KKY. The funder had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript. Singapore National Medical Research Council <http://www.nmrc.gov.sg/> (grant number NMRC/STaR/0011/2012 and NMRC/STaR/0026/2015). Received by SAC and PT respectively. The funder had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript. National Heart Centre Singapore <https://www.nhcs.com.sg/>. Received by SAC. The funder had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript. Duke-NUS Medical School <https://www.duke-nus.edu.sg/>. Received by PT and SAC. The funder had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript. SingHealth <https://www.singhealth.com.sg/>. Received by PT. The funder had no role in [study design](#), data collection and analysis, decision to publish, or preparation of the manuscript.

Competing Interests: The authors have declared that no competing interests exist.

**More information:** Weng Khong Lim et al, Beyond fitness tracking: The use of consumer-grade wearable data from normal volunteers in cardiovascular and lipidomics research, *PLOS Biology* (2018). [DOI: 10.1371/journal.pbio.2004285](https://doi.org/10.1371/journal.pbio.2004285)

Provided by Public Library of Science

Citation: Fitness tracker data can enhance biomedical research and personalized health (2018, February 27) retrieved 27 July 2024 from <https://medicalxpress.com/news/2018-02-tracker-biomedical-personalized-health.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.