

Drinking alcohol makes your heart race

March 18 2018



Credit: CC0 Public Domain

The more alcohol you drink, the higher your heart rate gets, according to research presented today at EHRA 2018 Congress, organized by the European Society of Cardiology.

Binge drinking has been linked with [atrial fibrillation](#), a phenomenon called "the holiday [heart](#) syndrome". The connection was initially based on small studies and anecdotal evidence from the late 1970s.

The Munich Beer Related Electrocardiogram Workup (MunichBREW) study was conducted by researchers from the LMU University Hospital Munich Department of Cardiology, supported by the German Cardiovascular Research Centre (DZHK) and the European Commission. It was the first assessment of the acute effects of alcohol on electrocardiogram (ECG) readings. The study included more than 3,000 people attending the 2015 Munich Oktoberfest.

ECG readings were taken and breath alcohol concentrations were measured. Age, sex, heart disease, heart medications, and smoking status were recorded. Participants were, on average, 35 years old and 30% were women. The average breath alcohol concentration was 0.85 g/kg. Increasing breath alcohol concentration was significantly associated with sinus tachycardia of more than 100 beats per minute in 25.9% of the cohort.

The current analysis of the MunichBREW study looked in more detail at the quantitative ECG measurements in 3,012 participants. The researchers investigated the association between [blood alcohol concentration](#) and four ECG parameters: excitation ([heart rate](#)), conduction (PR interval, QRS complex), and repolarisation (QT interval).

Increased heart rate was associated with higher breath alcohol concentration, confirming the initial results of the MunichBREW study. The association was linear, with no threshold. Alcohol consumption had no effect on the other three parameters.

"The more alcohol you drink, the higher your heart rate gets," said Dr Stefan Brunner, a cardiologist at the University Hospital Munich, Munich, Germany, who is one of the lead authors.

The researchers are currently investigating whether the increase in heart

rate with alcohol consumption could lead to heart rhythm disorders in the longer-term.

Dr Moritz Sinner, another lead author, said: "We cannot yet conclude that a higher heart rate induced by alcohol is harmful. But people with heart conditions already have a higher heart rate, which in many cases triggers arrhythmias, including atrial fibrillation. So it is plausible that the higher heart rate following [alcohol consumption](#) could lead to arrhythmias."

He added, "Most people in our study were young and healthy. If we conducted the same study in older people or heart patients we might have found an association between drinking alcohol and arrhythmias."

The authors speculated that [alcohol](#) creates an imbalance between the sympathetic (fight or flight) and parasympathetic (rest and digest) nervous systems. They are currently investigating how it does this.

More information: The abstract 'Acute alcohol consumption and effects on cardiac excitation, conduction, and repolarization. Results from the MunichBREW Study' will be presented during the session Arrhythmias general - The unusual and unexpected which takes place on 18 March.

Provided by European Society of Cardiology

Citation: Drinking alcohol makes your heart race (2018, March 18) retrieved 3 May 2024 from <https://medicalxpress.com/news/2018-03-alcohol-heart.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is

provided for information purposes only.