

Blood vessels also affected by Alzheimer's disease

March 19 2018



Myograph system used to measure the properties of the arteries under study. On the screen one can see the mesenteric artery of one of the research animal models. Credit: INc-UAB



Researchers from the Institute of Neuroscience at the Universitat Autònoma de Barcelona (INc-UAB) have demonstrated for the first time that anxiety and problems with blood vessels present a close relationship with Alzheimer's disease, which in the study, particularly affected female mice.

The study, conducted with <u>mice</u> and published in the *Journal of Alzheimer's Disease*, provides new data in an emerging line of research related to Alzheimer's, which expands the current research focus to include explorations beyond the brain, incorporating the cardiovascular system.

"Vascular disease resulting from oxidative stress and inflammation is an emerging concept in the study of Alzheimer's disease which is gaining clinical interest, given that subsequent cardiovascular insufficiency can alter the blood flow distribution to different organs and tissues, including the brain, which can worsen a pathology related to this type of dementia," says Dr. Francesc Jiménez-Altayó, researcher at the Department of Pharmacology, Therapeutics and Toxicology and lead author of the paper.

The research, directed by Dr. Lydia Giménez-Llort, Director of the Unit of Medical Psychology at the UAB Department of Psychiatry and Forensic Medicine, provides the first evidence that mice of advanced age suffering from Alzheimer's disease exhibit substantial alterations in small <u>blood vessels</u> that are essential in nourishing organs and tissues and regulating blood pressure.

"The study specifically demonstrates that the sex of the mice is a determining factor. It is specifically the <u>female mice</u> that present more pronounced vascular alterations, suggesting that women of advanced ages with Alzheimer's disease may suffer more from cardiovascular malfunctions," says Dr. Frances Jiménez-Altayó.



The characteristics of small arteries were studied under different physiological conditions. These vascular changes appear in both the vascular structure and function, which suggests an abnormal distribution in peripheral blood flow. The researchers also assessed animal behaviour to determine effects at the cognitive and emotional levels. This allowed them to discover the existence of a strong relation between the vascular parameters—structure, elasticity, function—and different patterns of anxiety in mice models of Alzheimer's and mice aging normally.

"Although we must be cautious with these results, the correlation of behaviours proposes the existence of direct or indirect relations between the conduct and the function of peripheral arteries. These interactions may be able to explain the anomalies of the neuro-immuno-endocrine system in charge of regulating the performance of different organs and tissues, which we already described in previous studies using male and female mice in initial and advanced stages of the disease," says Dr. Lydia Giménez-Llort.

"In addition, the fact that the study also provides evidence indicating a clear relation between different variables which make up anxious behaviour in animals and properties of peripheral <u>blood</u> vessels is a discovery containing important implications which surpass the area of research into Alzheimer's <u>disease</u>," she concludes.

More information: Francesc Jiménez-Altayó et al, Crosstalk between Peripheral Small Vessel Properties and Anxious-like Profiles: Sex, Genotype, and Interaction Effects in Mice with Normal Aging and 3×Tg-AD mice at Advanced Stages of Disease, *Journal of Alzheimer's Disease* (2018). DOI: 10.3233/JAD-171019

Provided by Autonomous University of Barcelona



Citation: Blood vessels also affected by Alzheimer's disease (2018, March 19) retrieved 1 May 2024 from https://medicalxpress.com/news/2018-03-blood-vessels-affected-alzheimer-disease.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.