

# Plans for children often derailed by chronic illness

March 20 2018

---



Credit: Monash University

More than four million Australian women of childbearing age are living with chronic conditions like diabetes, cystic fibrosis and asthma, and many are not aware of the implications their illness has for childbearing, according to new research.

Around 1,500 [women](#) of childbearing age across Australia took part in

the Monash University survey. It found that women living with a [chronic illness](#) were more likely to report having had unintended pregnancies, having had an abortion and falling pregnant at a younger age.

The study found that even though women with a chronic illness expected to have fewer children than women who did not have a chronic illness, they were less likely to have consulted a [healthcare provider](#) about fertility management prior to becoming pregnant.

Lead researcher Dr. Sara Holton, from the School of Public Health and Preventive Medicine, said many women with a chronic illness could benefit from personalised reproductive health information in order to make informed decisions about contraception and childbearing.

"It is likely that women's consultations with a healthcare provider are focused on managing or treating their disease and, therefore, women with a chronic illness may not be receiving pertinent or timely advice about managing their fertility," Dr. Holton said.

"As a result, women with a chronic illness may not have the opportunity to ask questions or make informed decisions or plans about childbearing. Women with a chronic illness may also assume that they will have difficulty conceiving because of their illness and therefore, do not need to use contraception."

Dr. Holton said although almost a third of Australian women of [childbearing age](#) had a chronic illness, little research has addressed their fertility management experiences, such as their childbearing desires, contraceptive use, pregnancy experiences and outcomes, and use of [reproductive health](#) care.

"The findings of this study have implications for healthcare providers and women with a chronic illness, and highlight the importance of

addressing possible assumptions about the inability of women with a chronic illness to become pregnant, and ensuring women receive information about suitable methods of contraception and pre-pregnancy care," Dr. Holton said.

The findings of this study were published in the *Maternal and Child Health Journal*.

**More information:** Sara Holton et al. The Fertility Management Experiences of Australian Women with a Non-communicable Chronic Disease: Findings from the Understanding Fertility Management in Contemporary Australia Survey, *Maternal and Child Health Journal* (2018). [DOI: 10.1007/s10995-018-2454-9](https://doi.org/10.1007/s10995-018-2454-9)

Provided by Monash University

Citation: Plans for children often derailed by chronic illness (2018, March 20) retrieved 3 May 2024 from <https://medicalxpress.com/news/2018-03-children-derailed-chronic-illness.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--