

# E-cigarettes may lead to accumulation of fat in the liver

March 18 2018

---



Credit: TheNorlo/Wikipedia

Using e-cigarettes may lead to an accumulation of fat in the liver, a study of mice exposed to the devices suggests. The research will be presented Sunday, March 18, at ENDO 2018, the Endocrine Society's 100th annual meeting in Chicago, Ill.

"The popularity of electronic cigarettes has been rapidly increasing in

part because of advertisements that they are safer than conventional cigarettes. But because extra fat in the liver is likely to be detrimental to health, we conclude that e-cigarettes are not as safe as they have been promoted to consumers," said lead author Theodore C. Friedman, M.D., Ph.D., Chairman of the Department of Internal Medicine and Endowed Professor of Cardio-Metabolic Medicine at Charles R. Drew University of Medicine & Science in Los Angeles, Calif. "This has important public health and regulatory implications."

E-cigarettes contain nicotine, which Dr. Friedman and other researchers have reported is associated with non-alcohol fatty liver diseases. However, the long-term effects of e-cigarettes on liver disease, diabetes, heart disease or stroke are unknown.

In the 12-week study, Friedman and colleagues studied [mice](#) missing the gene for apolipoprotein E, which makes them more prone to developing [heart disease](#) and fat in the liver. All of the mice were fed a diet relatively high in fat and cholesterol. One group of mice was put in a chamber that exposed them to [e-cigarette](#) aerosol, so that their blood nicotine levels were similar to that of smokers and e-cigarette users. A second group of mice were exposed to saline aerosol.

The researchers collected liver samples, and looked at genes in the liver affected by e-cigarettes using a technique called RNA sequence analysis. They found changes in 433 genes that were associated with fatty liver development and progression in the mice exposed to e-cigarettes. The researchers also found that [genes](#) related to circadian rhythms (the body clock) were changed in mice exposed to e-cigarettes. Circadian rhythm dysfunction is known to accelerate the development of liver [disease](#) including fatty [liver](#) diseases.

"Our experimental results will provide support to policymakers and federal and state regulatory bodies to take preventive measures to stop

the increasing use of e-cigarettes among both children and adults," Friedman said.

Provided by The Endocrine Society

Citation: E-cigarettes may lead to accumulation of fat in the liver (2018, March 18) retrieved 20 April 2024 from

<https://medicalxpress.com/news/2018-03-e-cigarettes-accumulation-fat-liver.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.