


Researchers uncover way to restore movement sensation in upper limb amputation patients

March 14 2018



Schematic representation of the movement feedback paired to a real-time, functional prosthetic hand clinically fitted to the participant. Feedback pathways are represented in blue (VCLM, voice coil linear motor). Prosthesis control



pathways are represented in red (participant control). Credit: P.D. Marasco et al., Science Translational Medicine (2018)

A team of researchers led by Cleveland Clinic has published first-of-its-kind findings in *Science Translational Medicine* on a new method of restoring natural movement sensation in patients with prosthetic arms.

Led by Paul Marasco, Ph.D., the research team has successfully engineered a sense of complex hand movement in <u>patients</u> with upper limb amputations. This breakthrough may enhance the ability to control their prostheses, independently manage activities of daily living and improve quality of life.

"By restoring the intuitive feeling of <u>limb movement</u> - the sensation of opening and closing your hand - we are able to blur the lines between what the patients' brains perceived as 'self' versus 'machine'," said Marasco, head of the Laboratory for Bionic Integration in Cleveland Clinic's Lerner Research Institute. "These findings have important implications for improving human-machine interactions and bring us closer than ever before to providing people with amputation with complete restoration of natural arm function."

The team used small, but powerful, robots to vibrate specific muscles to "turn on" patients' sensation of movement, allowing them to feel that their fingers and hands were moving and that they were an integrated part of their own body. By feeling their missing hands while controlling their bionic prostheses, patients in the study could make complex grip patterns to perform specific tasks as well or better than able-bodied people.

To improve the relationship between the mind and the prosthesis, the



researchers investigated whether they could use a movement illusion to help patients better control their bionic hands. They studied six patients who had previously undergone targeted nerve reinnervation, a procedure that establishes a neural-machine interface by redirecting amputated nerves to remaining muscles. When they vibrated the patients' reinnervated muscles to provide illusory movement, they not only felt their missing limbs move, but could use these sensations to intentionally manipulate their prostheses to accurately guide complex grips.

This is important because when an able-bodied person moves, the brain constantly receives feedback regarding the movement's progress. This unconscious sense prevents errors in movement, like overreaching, and allows the body to make necessary adjustments. People with amputation lose this essential feedback, however, and as a result, cannot control their prostheses without having to watch them carefully at all times.

The new study shows that the sense of missing limb movement, caused by the strategic muscle vibration, provided patients with better spatial awareness and improved fine motor control without having to visually monitor the prostheses. Additionally, the movement sensation made the bionic arms feel more like "self."

"When you make a movement and then you feel it occur, you intrinsically know that you are the author of that movement and that you have a sense of control or 'agency' over your actions," said Marasco. "People who have had an amputation lose that feeling of control, which leaves them feeling frustrated and disconnected from their prosthetic limbs. The illusions we generate restore the sensation of movement and reestablish their sense of agency over their prosthetics. This helps people with amputation to feel more in control."

Going forward, the research team is exploring ways to expand these techniques to patients who have lost a leg, as well as for those with



conditions that inhibit movement sensation such as stroke. They are also working to package the system into a prosthesis for longer-term applications to enable patients to operate the system on a daily basis.

"The ultimate goal of our research is to use <u>movement sensation</u> to streamline the relationship between patients and their technology, to better integrate their prosthetics as a natural part of themselves," said Marasco.

More information: P.D. Marasco el al., "Illusory movement perception improves motor control for prosthetic hands," *Science Translational Medicine* (2018). scitranslmed.aao6990

Provided by Cleveland Clinic

Citation: Researchers uncover way to restore movement sensation in upper limb amputation patients (2018, March 14) retrieved 30 April 2024 from https://medicalxpress.com/news/2018-03-uncover-movement-sensation-upper-limb.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.