

Artificial pancreas is a safe and effective treatment for type 1 diabetes

April 18 2018

Use of an artificial pancreas is associated with better control of blood sugar levels for people with type 1 diabetes compared with standard treatment, finds a review of the available evidence published by *The BMJ* today.

The findings show that [artificial pancreas](#) treatment provides almost two and a half extra hours of normal [blood glucose levels](#) (normoglycaemia) a day, while reducing time in both high (hyperglycaemia) and low (hypoglycaemia) blood glucose levels.

While further research is needed to verify the findings, the researchers say these results support the view that "artificial pancreas systems are a safe and effective treatment approach for people with type 1 diabetes."

The artificial pancreas is a system that measures [blood sugar levels](#) using a continuous glucose monitor (CGM) and transmits this information to an insulin pump that calculates and releases the required amount of insulin into the body, just as the pancreas does in people without diabetes.

Lead researcher, Eleni Bekiari at Aristotle University of Thessaloniki, Greece and the team set out to investigate the effectiveness and safety of artificial pancreas systems in people with type 1 diabetes.

They reviewed the results of 41 randomised controlled trials involving over 1000 people with type 1 diabetes, that compared artificial pancreas

systems with other types of insulin based treatment, including [insulin pump](#) therapy.

They found that the artificial pancreas was associated with almost two and a half additional hours in normoglycaemia compared with other types of treatment when used overnight and over a 24 hour period.

Use of the artificial pancreas also reduced time spent in hyperglycaemia by approximately two hours - and in hypoglycaemia (20 minutes less) - compared to other types of therapy.

Further analyses to test the strength of the associations for different devices and in different settings were consistent, suggesting that the results are robust.

As such, the authors say that their review provides a valid and up to date overview on the use of artificial pancreas systems for type 1 diabetes. However, they point out that most trials were at high or unclear risk of bias, had a small sample size and short duration, and therefore should be interpreted with caution.

Furthermore, they suggest more should be done to assess cost-effectiveness "to support adoption of artificial pancreas systems in clinical practice."

The authors also recommend that future research should "explore artificial pancreas use in relevant groups of people with type 2 [diabetes](#)" and say "the effect of artificial [pancreas](#) use on quality of life and on reducing patient burden should be further explored."

In a linked editorial, Professor Norman Waugh at the University of Warwick and colleagues, argue that closed loop systems have much to offer, "but we need better evidence to convince policymakers faced with

increasing demands and scarce resources."

More information: Artificial pancreas therapy for outpatients with type 1 diabetes: systematic review and meta-analysis

www.bmj.com/content/361/bmj.k1310

Editorial: Closed loop systems in type 1 diabetes

www.bmj.com/content/361/bmj.k1613

Provided by British Medical Journal

Citation: Artificial pancreas is a safe and effective treatment for type 1 diabetes (2018, April 18)
retrieved 4 May 2024 from

<https://medicalxpress.com/news/2018-04-artificial-pancreas-safe-effective-treatment.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--