

# Fluoride varnish in the primary dentition can prevent caries

April 26 2018

---

Whereas caries in adults and adolescents is declining, studies in children under the age of 3 have shown that caries in this age group has hardly decreased: On average, about 14% of all 3-year-olds in Germany have caries in the primary dentition. Fluoride varnish effectively helps in the remineralization of the tooth surface and prevents the development and progression of caries. The use of fluoride varnish has advantages especially for small children because it hardens quickly. Due to a lack of conclusive data it is unclear, however, whether fluoride application also has advantages regarding further patient-relevant outcomes such as tooth preservation, toothache or dental abscesses.

This is the conclusion of a rapid report published by the German Institute for Quality and Efficiency in Health Care (IQWiG) on 26 April 2018.

## Primary teeth are particularly prone to caries

Caries is caused by bacteria in the dental plaque, sugary foods and drinks, and a lack of [oral hygiene](#). Children are especially likely to have [caries](#) because the enamel on baby teeth is more sensitive than the enamel on permanent teeth. Permanent teeth are sensitive at first too: When they break through, their enamel has not yet fully hardened, making it susceptible to caries. If the primary teeth already have caries lesions, subsequent permanent teeth are often also "infected" with caries at an early stage. Particularly in young [children](#), oral hygiene and caries

prevention can be challenging, however.

Children until the age of 6 years, with or without caries of their primary teeth, were included in the research question of the present rapid report: Does the application of fluoride varnish to the primary dentition have advantages in comparison with standard care without specific fluoride application?

## **Studies focused on caries**

The IQWiG researchers extracted results from 15 randomized controlled trials (RCTs), in which a total of 5002 children were treated with fluoride varnish, whereas 4705 children received no such treatment. In many studies, further measures for caries prevention in addition to the application of fluoride varnish were offered. These included trainings on oral hygiene, instructions on the correct tooth brushing technique or provision of toothbrushes and fluoridated toothpaste. The follow-up observation period was mostly two years, in some cases up to three years.

The outcome "caries" was investigated in all studies; side effects were investigated in almost all studies. Further outcomes such as tooth loss, toothache, dental abscesses or inflammation of the gums (gingivitis) were only rarely investigated. The respective data showed no difference between intervention and control group so that no conclusions on advantages or disadvantages of fluoride varnish application could be derived. Data on oral health-related quality of life were lacking completely.

## **Fluoride varnish promotes remineralization**

A clear advantage of fluoride varnish was determined despite the very

heterogeneous study results: Caries of primary teeth was less common after application of fluoride varnish than without it. This treatment could completely prevent caries in about every 10th child. And it would at least reduce progression of caries in further children. Apparently, it did not make a difference for the benefit of the [fluoride](#) varnish whether the children already had caries or whether their [teeth](#) were completely intact.

**More information:** [www.iqwig.de/en/projects-resul ... pid-report.8044.html](http://www.iqwig.de/en/projects-resul...pid-report.8044.html)

Provided by Institute for Quality and Efficiency in Health Care

Citation: Fluoride varnish in the primary dentition can prevent caries (2018, April 26) retrieved 24 April 2024 from <https://medicalxpress.com/news/2018-04-fluoride-varnish-primary-dentition-caries.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.