

Attacks on healthcare in Syria are likely undercounted: study

April 24 2018

Attacks on health facilities and health workers in Syria are likely more common than previously reported, and local data collectors can help researchers more accurately measure the extent and frequency of these attacks, according to a new study published this week in *PLOS Medicine*.

Violent [attacks](#) on hospitals, ambulances, [health](#) workers, and patients in conflict areas are grave violations of international humanitarian law and can cripple health systems during the time they are needed most.

Documenting these attacks is important to identify strategies to keep patients and [healthcare workers](#) safe, influence policy, and promote justice. However, a systematic and consistent method for verifying and quantifying these acts has been lacking.

In this new study, Rohini Haar of the School of Public Health, University of California, Berkeley, USA, Leonard Rubenstein of the Johns Hopkins Bloomberg School of Public Health, Baltimore, USA and colleagues at the Syrian American Medical Society (SAMS) developed a standardized reporting tool available on mobile phones to verify field reports and count attacks on medical providers and facilities. Data collectors used the tool to record basic information on attacks on hospitals, transports, healthcare workers, and patients and report the information to data managers through a secure messaging system. They found more than 200 attacks on healthcare in 2016 in four northern governorates of Syria. In total, 112 [health workers](#) and 185 patients were killed in these incidents, and 176 of the attacks were on hospitals and other healthcare facilities. A separate database of [healthcare](#) attacks,

developed by Physicians for Human Rights (PHR) and based primarily on media reports, counted incidents at health facilities independently. Among 90 facility attacks verified by PHR and 177 by SAMS, there were 60 that could be matched to each other, demonstrating that no one methodology is capturing all the incidents that have occurred.

The authors note that not all data collectors used the mobile phone app, and that complexities of data collection in conflict settings will limit accuracy of the data. Still, they note that this study "... demonstrates the capacity of locally based organizations and data collectors, in collaboration with physicians and other health staff, to contribute to documentation of attacks on health using a mobile systematic data collection application and act as potent agents to report and chronicle this violence."

In an accompanying Perspective, Michael Spagat of the Royal Holloway University of London, discusses the difficulties of conflict research, and stresses the need to continue developing accurate measures of violent acts.

More information: Haar RJ, Risko CB, Singh S, Rayes D, Albaik A, Alnajar M, et al. (2018) Determining the scope of attacks on health in four governorates of Syria in 2016: Results of a field surveillance program. *PLoS Med* 15(4): e1002559.
doi.org/10.1371/journal.pmed.1002559

Provided by Public Library of Science

Citation: Attacks on healthcare in Syria are likely undercounted: study (2018, April 24) retrieved 26 April 2024 from
<https://medicalxpress.com/news/2018-04-healthcare-syria-undercounted.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.