

Polypharmacy linked to poorer cognitive, physical capability

April 9 2018



(HealthDay)—Polypharmacy is associated with poorer cognitive and

physical capability even after adjustment for disease burden, according to a study published online March 24 in the *Journal of the American Geriatrics Society*.

Mark James Rawle, M.B.Ch.B., from University College London, and colleagues conducted a prospective birth cohort study to examine longitudinal correlations between [polypharmacy](#) and cognitive and physical capability. An eligible sample of 2,122 men and women with [medication](#) data at age 69 years participated.

The researchers found that 18.2 percent of the participants had polypharmacy (five to eight prescribed medications) and 4.7 percent had excessive polypharmacy (nine or more medications) at age 69 years. In models adjusted for sex, education, and disease burden, both polypharmacy and excessive polypharmacy were correlated with poorer cognitive and physical capability, with stronger associations seen for excessive polypharmacy. Stronger negative associations with cognitive and physical capability were seen for participants with polypharmacy at both age 60 to 64 and at age 69 years.

"Future research aiming to improve cognitive and [physical capability](#) should consider interventions to reduce the duration and level of polypharmacy at younger ages, in addition to optimizing disease control with appropriate medications," the authors write.

More information: [Abstract/Full Text](#)

Copyright © 2018 [HealthDay](#). All rights reserved.

Citation: Polypharmacy linked to poorer cognitive, physical capability (2018, April 9) retrieved 26 April 2024 from <https://medicalxpress.com/news/2018-04-polypharmacy-linked-poorer-cognitive-physical.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.