


Scientists discover new way that HIV evades the immune system

April 17 2018



Scientists have discovered how HIV evades the immune system. Credit: Nexu Science Communication and Trinity College Dublin.

Scientists have just discovered a new mechanism by which HIV evades the immune system, and which shows precisely how the virus avoids elimination. The new research shows that HIV targets and disables a pathway involving a number of biological molecules that are key in

blocking viral activity and clearing infection.

HIV remains a major global health problem, with over 40 million people infected worldwide. And while people living with HIV have been treated with anti-retroviral therapy for over 30 years, this favoured therapeutic option merely prevents the progression of the disease to AIDS - it doesn't cure patients of HIV.

The discovery, which opens the door to a new era of HIV research focused on curing people living with the [virus](#), has just been published in international journal, *EBioMedicine*, which is a collaborative online journal from Cell Press and the *Lancet*.

During any viral [infection](#) our immune system produces a powerful molecule (Interferon), which 'interferes' with the infection and the replication of viruses. Interferon activates an assembly line of molecules in our cells—via the Interferon signalling pathway - which causes the body to make antivirals that help to clear the infection.

However, when patients are being treated with anti-retroviral therapy, HIV is not fully cleared by our immune system. Therefore, the scientists from Trinity College Dublin behind the research investigated whether HIV was somehow blocking the Interferon signalling pathway and thus avoiding the immune response that is designed to cure viral infection. The findings confirmed their suspicions.

Assistant Professor in Immunology at Trinity, Nigel Stevenson, led the work. He said: "We discovered that HIV promotes the destruction of the anti-viral Interferon signalling pathway. Essentially, HIV uses the machinery in our own cells to do this, and the virus is thus able to reduce the production of many important anti-viral molecules. Without these anti-viral [molecules](#), our immune system can't clear [viral infections](#)."

"Our new revelation sheds new light on how HIV avoids elimination, which, in turn, may explain why HIV is still not a curable disease. We feel this discovery could mark a paradigm shift in our understanding of how this virus evades our [immune response](#). It should open the door to a new era of HIV research aiming to cure and eradicate this deadly virus."

More information: Siobhan Gargan et al, HIV-1 Promotes the Degradation of Components of the Type 1 IFN JAK/STAT Pathway and Blocks Anti-viral ISG Induction, *EBioMedicine* (2018). [DOI: 10.1016/j.ebiom.2018.03.006](#)

Provided by Trinity College Dublin

Citation: Scientists discover new way that HIV evades the immune system (2018, April 17) retrieved 27 April 2024 from <https://medicalxpress.com/news/2018-04-scientists-hiv-evades-immune.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
