

Report identifies characteristics of microorganisms most likely to cause a global pandemic

May 29 2018





Researchers at the Johns Hopkins Center for Health Security find that a potential



global catastrophic risk-level pandemic pathogen will most likely have a respiratory mode of transmission. Credit: Johns Hopkins Center for Health Security

Infectious disease preparedness work focuses predominantly on an historical list of pathogens derived from biological warfare agents, political considerations, and recent outbreaks. That fails to account for the most serious agents not currently known or without historical precedent, write scholars from the Johns Hopkins Center for Health Security in a new report on the traits of microorganisms with high pandemic potential.

The report, "<u>The Characteristics of Pandemic Pathogens</u>," establishes a framework for identifying naturally occurring microorganisms that pose a global catastrophic biological risk (GCBR) and makes broad recommendations for improving GCBR preparedness efforts. GCBRs are events in which biological agents could lead to a sudden, extraordinary, widespread disaster beyond the collective capability of national and international governments and the private sector to control. No exhaustive catalogue of GCBR culprits exists, leaving the health security community to rely on historical examples (e.g., 1918 Spanish Flu) to guide their preparedness priorities.

"Health security preparedness needs to be adaptable to new threats and not exclusively wedded to historical notions," said Amesh Adalja, MD, project lead and senior scholar at the Center. "A more active-minded approach to this problem will, in the end, help guard against a GCBR event occurring."

Adalja's project team included senior scholar Eric Toner, MD, and senior analyst Matthew Watson. To formulate the findings and



recommendations in their report, they reviewed published literature and reports on emerging infectious disease characteristics, the pathogenic potential of microbes, and other related topics; interviewed more than 120 technical experts from academia, industry, and government; and convened a meeting of a subset of those experts to discuss preliminary analysis of the information the team had gathered.

The first and primary finding presented in the report outlines common characteristics of a potential GCBR-level pandemic pathogen. Its mode of transmission, the team concluded, will most likely be respiratory. It will be contagious during the incubation period, prior to symptom development, or when infected individuals show only mild symptoms. Finally, it will need specific host population factors (e.g., immunologically naïve persons) and additional intrinsic microbial pathogenicity characteristics (e.g., a low but significant case fatality rate) that together substantially increase disease spread and infection.

The report continues its findings with an explanation of the pandemic potential of certain categories of microbes, noting that RNA viruses are the biggest threat. The project team's preparedness-related findings are reflected in 8 key recommendations:

- Preparedness against GCBR-level threats should have a focused approach with some flexibility.
- Historical pathogen list-based approaches should not stand as permanent fixed ideas that stultify thinking on pandemic pathogens.
- Improving surveillance of human infections from respiratoryborne RNA viruses should become a higher priority.
- An increased emphasis on developing a specific pipeline of various antiviral agents for RNA respiratory viruses—both broad spectrum and virus-specific—would add resiliency against potential GCBR agents.



- Vaccines against RNA respiratory viruses—including a universal influenza vaccine—should be pursued with increased priority.
- A clinical research agenda for optimizing the treatment of respiratory-spread RNA viruses should be funded by pharmaceutical companies and medical device companies and pursued by clinical centers.
- Special review is warranted for respiratory-borne RNA virus research that could increase <u>pandemic</u> risks.
- Pursuing microbiologically specific diagnoses of infectious disease syndromes in all locations globally should become more routine.

"We hope policymakers and practitioners consider our recommendations in their work to strengthen health sector resilience and fortify <u>pandemic</u> <u>preparedness</u>," said Adalja.

Provided by Johns Hopkins Center for Health Security

Citation: Report identifies characteristics of microorganisms most likely to cause a global pandemic (2018, May 29) retrieved 5 May 2024 from https://medicalxpress.com/news/2018-05-characteristics-microorganisms-global-pandemic.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.