

Elevated HbA1c usually leads to prompt Tx start, intensification

May 30 2018



(HealthDay)—Most patients are newly initiated on antidiabetic therapy



or have antidiabetic therapy intensified within six months of hemoglobin A1c (HbA1c) elevation, according to a study published online May 24 in *Diabetes Care*.

Lauren G. Gilstrap, M.D., from Harvard Medical School in Boston, and colleagues used data from 2008 to 2015 commercial claims linked with laboratory and pharmacy data to create an initiation cohort with no prior antidiabetic <u>drug</u> use (9,799 <u>patients</u>) and an intensification cohort of patients who were on a stable dose of one noninsulin diabetic drug (10,941 patients); both cohorts had HbA1c levels \geq 8 percent.

The researchers found that 63 percent of patients in the initiation cohort received an antidiabetic drug within six months of the elevated HbA1c test; 82 percent of the intensification cohort had their existing antidiabetic <u>therapy</u> intensified within six months of the elevated HbA1c test. Higher rates of initiation and intensification were seen in association with higher HbA1c levels, lower generic drug copayments, and more frequent office visits. Correlations with intensification were seen for better patient adherence before elevated HbA1c level, existing therapy with a second-generation antidiabetic drug, and lower doses of existing therapy. Patient factors explained 7.96 and 7.35 percent of the variation in initiation and intensification, respectively.

"Additional work to examine whether other patient, physician, or practice factors explain more of the variation in antidiabetic treatment patterns should be considered," the authors write.

The study was partially funded by Merck Sharpe & Dohme and the Pharmaceutical Research and Manufacturers of America.

More information: <u>Abstract/Full Text (subscription or payment may</u> <u>be required)</u>



Copyright © 2018 HealthDay. All rights reserved.

Citation: Elevated HbA1c usually leads to prompt Tx start, intensification (2018, May 30) retrieved 24 April 2024 from https://medicalxpress.com/news/2018-05-elevated-hba1c-prompt-tx-intensification.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.