

Most first-time moms say labor pains were manageable

May 24 2018



(HealthDay)—Many first-time mothers have mistaken ideas about

managing the pain of childbirth, a new survey reveals.

The survey, commissioned by the American Society of Anesthesiologists (ASA), included more than 900 U.S. mothers, 73 percent of whom had vaginal births.

While many said they had less pain than feared, many went into labor with false ideas about what to expect:

- 74 percent thought they couldn't have an epidural after a certain time in labor, even though the injections can be given until the baby's head begins to emerge.
- 44 percent feared pain at the epidural injection site would last a long time.
- 26 percent thought having an epidural would slow labor.
- 20 percent believed only one pain management option could be provided.

Slightly more than half said contractions were the most painful part of the experience, akin to extreme menstrual cramps. One in five said pushing or post-delivery hurt most.

In all, 46 percent of the moms said the pain they experienced during their first delivery was less than expected, and 90 percent said their pain management was effective.

"First-time mothers need to know that a wide variety of options exist to manage [pain](#), from [epidural](#) to massage, [nitrous oxide](#) to breathing techniques, and that it's acceptable to change methods or use a combination during nearly every stage of labor," ASA President Dr. James Grant said in a society news release.

"But it's also important to be flexible, since it may be necessary to

change [pain management](#) methods based on the [labor](#) process itself," he added.

More information: The U.S. Office on Women's Health has more on [labor and birth](#).

Copyright © 2018 [HealthDay](#). All rights reserved.

Citation: Most first-time moms say labor pains were manageable (2018, May 24) retrieved 27 April 2024 from <https://medicalxpress.com/news/2018-05-first-time-moms-labor-pains.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.