

Why people become more prone to distraction with age

May 7 2018



Credit: CC0 Public Domain

Older adults appear more easily distracted by irrelevant information than younger people when they experience stress or powerful emotions— and a specific network in the brain recently identified as the epicenter for

Alzheimer's and dementia may be to blame.

A USC-led study finds that seniors' attention shortfall is associated with the locus coeruleus, a tiny region of the brainstem that connects to many other parts of the [brain](#). The locus coeruleus helps focus brain activity during periods of stress or excitement.

Increased distractibility is a sign of cognitive aging, said senior author Mara Mather, an expert on memory and professor at the USC Leonard Davis School of Gerontology. The study found that [older adults](#) are even more susceptible to distraction under stress, or [emotional arousal](#), indicating that the nucleus's ability to intensify focus weakens over time.

"Trying hard to complete a task increases emotional arousal, so when younger adults try hard, this should increase their ability to ignore distracting information," said Mather, who is also a professor with the USC Dornsife College of Letters, Arts and Sciences. "But for older adults, trying hard may make both what they are trying to focus on and other information stand out more."

For instance, if an older adult is taking a memory test in a clinician's office, he or she may be trying hard to focus but will be more easily distracted than a younger adult by other thoughts or noises in the background.

The study was published on May 7 in *Nature Human Behavior*.

The locus of tau pathology for Alzheimer's

Previous research led by Mather, director of the USC Emotion and Cognition Laboratory, has highlighted the locus coeruleus and its roles in cognition and memory. Currently, Mather is focused on studying how locus coeruleus function changes during aging and Alzheimer's disease.

The locus coeruleus appears to be one of the earliest sites of tau pathology, the tangles that are a hallmark of Alzheimer's disease. An estimated 5.7 million Americans have Alzheimer's, which is the nation's the sixth-leading cause of death.

"Initial signs of this pathology are evident in the locus coeruleus in most people by age 30," Mather said. "Thus, it is critical to better understand how locus coeruleus function changes as we age."

Mather is among more than 70 researchers at USC who focus their research on the prevention, treatment and potential cure of Alzheimer's disease. The memory-erasing illness is one of the greatest health challenges of the century, affecting 1 in 3 seniors and costing \$236 billion a year in health care services.

Measuring a tiny brain region's big role

The locus coeruleus connects to many parts of the brain and controls the release of the hormone norepinephrine, which influences attention, memory and alertness. Normally, norepinephrine increases the "gain" on neural activity— highly active neurons become more excited, while less active neurons get suppressed.

The researchers recorded physiological arousal and locus coeruleus activity in 28 younger adults and 24 older adults using both brain scans and the measurement of pupil dilation in participants' eyes— an outwardly visible marker for emotional arousal and locus coeruleus activity.

During the scans, study participants were shown pairs of photographs—one of a building and the other a of an object. The images were manipulated so that sometimes the building was clearly visible and highlighted while the object was faint, and other times, vice versa. For

each pair, participants had to indicate which image was highlighted.

Some trials started with a tone that warned participants that they might receive an electric shock at the end of the trial. Other trials started with a tone indicating that there would be no shock. Participants showed greater pupil dilation and sweat during trials when they might get a shock, indicating greater physiological arousal.

A disrupted connection in older adults

The brain's parahippocampal "place area" becomes active when a person is looking at images of places.

In younger adults, expecting a shock amplified activity in the place area when they looked at the clear, highlighted image of the building. Activity there decreased when they saw a faint, non-highlighted image. Pathways in their brains linking the [locus coeruleus](#), the place area, and the frontoparietal network—regions of the brain's cortex that help control what to pay attention to and what to ignore—were uninterrupted. This enabled them to more effectively ignore the information that wasn't important.

Older adults, however, showed less activity in the frontoparietal network when anticipating a shock. Their network seemed to no longer effectively respond to signals from the [locus coeruleus](#). They also showed greater activity in the place area when expecting a shock, regardless of whether the image was highlighted or not. Thus, during emotional arousal, older [adults](#) showed more activity associated with images whether they stood out or not, whereas [younger adults](#) became more selective under arousal, only focusing on the most salient images.

"Deciphering exactly how these changes in the brain occur as we age could one day help us uncover how to protect the brain from cognitive

decline and loss of function," Mather said.

More information: Tae-Ho Lee et al, Arousal increases neural gain via the locus coeruleus–noradrenaline system in younger adults but not in older adults, *Nature Human Behaviour* (2018). [DOI: 10.1038/s41562-018-0344-1](https://doi.org/10.1038/s41562-018-0344-1)

Provided by University of Southern California

Citation: Why people become more prone to distraction with age (2018, May 7) retrieved 20 April 2024 from <https://medicalxpress.com/news/2018-05-people-prone-distraction-age.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.