

# Probe into farm animals could help treat drug-resistant bacteria

May 31 2018

---



Escherichia coli. Credit: Rocky Mountain Laboratories, NIAID, NIH

Growing threats to public health could be addressed by cutting-edge research that reveals how farm animals contribute to the spread of drug-resistant bacteria, a study suggests.

Scientists are calling for new research combining [genome analysis](#) with studies that map the spread of infections to reveal how cows, pigs and chickens might play a role in helping [drug-resistant bacteria](#) to thrive.

Determining if livestock are the source of such bacteria could inform measures to combat the rise of drug-resistant infections with no effective treatments, researchers say.

Previous research suggests resistant *E. coli* bacteria—recently classified as a major health threat by the World Health Organization—can be passed directly to humans by livestock.

Limitations in these studies mean however that the role of [farm animals](#) in the rise and spread of drug-resistant bacteria remains poorly understood, researchers say.

A team led by scientists at the University of Edinburgh carried out a systematic review of current evidence examining the transfer of resistant *E. coli* between farm [animals](#) and people.

Their findings highlight a need for more robust data and state-of-the-art genome analysis to shed light on how drug-resistant bacteria arise and spread in human and animal populations.

The study, published in the journal *Foodborne Pathogens and Disease*, involved researchers at the universities of Liverpool and Oxford, and the International Livestock Research Institute in Nairobi, Kenya.

The work was supported by the Medical Research Council, Biotechnology and Biological Science Research Council, Economic and Social Research Council, and Natural Environment Research Council.

Dishon Muloi, a Ph.D. student in the University of Edinburgh's Centre

for Population Health Sciences, who led the study, said: "Our study suggests that the current evidence regarding transmission of drug resistance between food animals and humans is limited. Combining state-of-the-art genomic data analysis with epidemiological evidence would help us to better understand the direction and frequency of transmission between the two populations."

Dr. Bram van Bunnik, of the University of Edinburgh's Centre for Population Health Sciences, said: "The role of farm animals in the emergence and spread of drug-resistant bacteria to humans is poorly understood and controversial. Similarity or identity of drug-resistant [bacteria](#) in the two populations does not, by itself, provide information on the direction of transfer. We need to integrate novel methods on whole genome analysis and epidemiological approaches to better understand the direction and frequency of transmission between these populations to combat antibiotic resistance."

**More information:** Dishon Muloi et al, Are Food Animals Responsible for Transfer of Antimicrobial-Resistant Escherichia coli or Their Resistance Determinants to Human Populations? A Systematic Review, *Foodborne Pathogens and Disease* (2018). [DOI: 10.1089/fpd.2017.2411](#)

Provided by University of Edinburgh

Citation: Probe into farm animals could help treat drug-resistant bacteria (2018, May 31) retrieved 26 April 2024 from <https://medicalxpress.com/news/2018-05-probe-farm-animals-drug-resistant-bacteria.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.