

A rose is a rose is a rose: Mathematical model explains how two brains agree on smells

May 1 2018



Credit: Petr Kratochvil/public domain

In a new study, Columbia scientists have discovered why the brain's olfactory system is so remarkably consistent between individuals, even though the wiring of brain cells in this region differs greatly from person to person. To make sense of this apparent paradox, the researchers developed a computational model showing that two brains need not have

previously sniffed the same exact set of odors in order to agree on a new set of scents. Instead, any two brains will know to associate new similar odors with each other (such as two different flowers) so long as both brains have experienced even the smallest overlap in odors during their lifetimes.

This work was published last week in *Neuron*.

"Many of the [brain](#) cells, or neurons, in our olfactory system are wired together seemingly at random, meaning that the neurons that activate when I smell a rose are different than yours. So why do we both agree with certainty what we're smelling?" said the paper's senior author Larry Abbott, PhD, a computational neuroscientist and principal investigator at Columbia's Mortimer B. Zuckerman Mind Brain Behavior Institute. "By creating this model, we could detect, for the first time, the patterns that underlie seemingly random activity, revealing a mathematical consistency to how our brains are identifying scents."

The journey an [odor](#) takes from the nose to the brain is labyrinthine. When an odor enters the nasal cavity, specialized proteins called [olfactory receptors](#) send information about that [scent](#) to a designated location in the brain called the olfactory bulb. In a series of pioneering studies in the 1990s, Richard Axel, MD, a codirector at Columbia's Zuckerman Institute and a co-author of the new *Neuron* paper, discovered the more than 1,000 genes that encode these olfactory receptors. This work, which was performed alongside his colleague Linda B. Buck, PhD, earned them both the 2004 Nobel Prize in Physiology or Medicine.

Today's paper focuses on how information leaves the [olfactory bulb](#) and is interpreted by a brain region called the [piriform cortex](#). The piriform cortex is believed to be a crucial structure for processing odors. Because no two whiffs of an odor are identical, the brain must make associations

between odors that are similar. This process, called generalization, is what helps the brain to interpret similar smells.

"Generalization is critical because it lets you take the memory of a previous scent—such as coffee—and connect it to the odor of coffee you're currently smelling, to guide you as you stumble to the kitchen in the morning," said Evan Schaffer, PhD, a postdoctoral researcher in the Axel lab and the paper's first author.

However, as scientists have investigated the concept of generalization, they have been puzzled by two paradoxes about the piriform cortex. First, the neural activity in the piriform cortex appeared random, with no apparent logic or organization, so researchers could not tie a particular pattern of neural activity to a class of scents.

And second, the piriform cortex itself seemed too big. "Scientists could deduce a need for only about 50,000 of the roughly one-million piriform cortex neurons in the human brain," said Dr. Schaffer. "Given how energetically expensive neurons are, this raised the question: Why are there so many neurons in this part of the brain?"

The researchers developed a mathematical model that offered a resolution to both paradoxes: Two brains could indeed agree on a class of scents (i.e. fragrant flowers versus smelly garbage) if the neural activity came from a large enough pool of neurons.

The idea is similar to crowdsourcing, whereby different people each analyze one part of a complex question. That analysis is then pooled together into a central hub.

"This is analogous to what is happening in the piriform cortex," said Dr. Schaffer. "The different patterns of neural activity generated by these one-million neurons, while incomplete on their own, when combined

give a complete picture of what the brain is smelling."

By then testing this model on data gathered from the brains of fruit flies, the team further showed that this neural activity helps two brains to agree on common odors, even with limited common experience.

Scientists have long argued that two brains must share a common reference point, such as each having previously smelled a rose, in order to identify the same scent. But this model suggests that the reference point can be anything—the memory of the scent of a rose can help two people agree on the smell of coffee.

"Even the tiniest bit of common experience seems to realign the brains, so that while my [neural activity](#) is different than yours, the association we each make between two related scents—such as flowers—is similar for both of us," said Dr. Schaffer.

This model, while lending insight into a long-held paradox of perception, highlights an underlying elegance to the olfactory system: despite containing different [neurons](#), memories and experiences—two brains can still come to an agreement.

"You and I don't need to have sniffed every type of odor in the world to come to an agreement about what we're smelling," said Dr. Schaffer. "As long we have a little bit of common experience, that's enough."

More information: Evan S. Schaffer et al, Odor Perception on the Two Sides of the Brain: Consistency Despite Randomness, *Neuron* (2018). [DOI: 10.1016/j.neuron.2018.04.004](https://doi.org/10.1016/j.neuron.2018.04.004)

Provided by Columbia University

Citation: A rose is a rose is a rose: Mathematical model explains how two brains agree on smells (2018, May 1) retrieved 26 April 2024 from <https://medicalxpress.com/news/2018-05-rose-mathematical-brains.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.