


# Novel techniques for three-dimensional visualization of microscopic structures in the human brain

May 8 2018

---



A transgenic mouse dentate gyrus imaged and colored-coded to reveal the distribution of the nerve cells. Credit: The University of Hong Kong

A team of scientists from the Li Ka Shing Faculty of Medicine of The University of Hong Kong (HKU) and Imperial College London has made a breakthrough in the visualisation of human brain tissue at the microscopic level. The findings are now published in the latest issue of

*Nature Communications.*

## **New techniques for visualization of human brain tissue**

To understand how the [brain](#) works, scientists need to map how nerve cells (neurons) are wired to form circuitries in both healthy and disease states. Traditionally, this was accomplished by thinly slicing brain [tissue](#) and tracing the cut nerve fibres over many sections. However, this approach is difficult and labour-intensive, as the neuronal circuitries span great distances in three dimensions and are tightly entangled microscopically. To avoid the sectioning of tissues, tissue clearing techniques that turn opaque tissue transparent have been developed, enabling deep, high-resolution imaging of neuronal circuitries. Although such techniques have been very effective on rodent brain tissue, only limited studies have found success with human brain tissue. The difficulties and challenges may be attributed to fundamental differences between the human and the mice brain.

To overcome these barriers, the team developed a new tissue clearing solution, OPTIClear. OPTIClear selectively adjusts the optical properties of tissue without damaging or changing their structural components. Combined with fluorescent staining and other tissue processing methods, the team created a simple, yet versatile tool for the study of microscopic structures in the human brain. Nerve cells, glial cells and blood vessels were visualized in exquisite detail, with their 3-D relationship determined. For example, the team performed 3-D morphological analysis on human brainstem dopaminergic neurons in the millimetre scale, and imaged more than 3,000 large neurons in the human basal forebrain in just five days, normally, such procedures take at least three weeks. These neurons have been implicated in neurological and psychiatric diseases such as dementia and depression; the promising

results suggest that this novel method is applicable to future research on these conditions. More remarkably, OPTIClear can also be applied in both archived (>30 years) and clinical specimens.

The team hopes that this simple method can catalyse further scientific development. By allowing scientists to study human tissue quicker and better, OPTIClear could potentially speed up the elucidation of circuitry mechanisms in a multitude of brain diseases. Professor Wutian Wu, Honorary Professor, School of Biomedical Sciences, Li Ka Shing Faculty of Medicine, HKU, co-supervisor of the study, commented, "We hope that a better understanding of the connections and circuitries of the brain will help uncover the pathologies that underlie the common degenerative diseases of the brain, such as Alzheimer's and Parkinson's [disease](#)." Regarding future developments of the project, Mr. Lai Hei-ming, lead researcher of the study and 6th year HKU medical student, said, "In principle, this method is also applicable to other human organs and clinical specimens. We hope that this technique can also be used in studying other diseases, and eventually help us to unravel the mysteries of the human body."

Provided by The University of Hong Kong

Citation: Novel techniques for three-dimensional visualization of microscopic structures in the human brain (2018, May 8) retrieved 25 April 2024 from <https://medicalxpress.com/news/2018-05-techniques-three-dimensional-visualization-microscopic-human.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--