

Whooping cough more widespread than previously known

May 2 2018

Rates of whooping cough in Ontario much higher than previously thought



Study reinforces the importance of up-to-date pertussis vaccinations, particularly for children and adults who care for or who are in contact with young infants.

Researchers looked at the number of reported pertussis infections in Ontario (2009 - 2015). They then estimated the actual number of infections using linked data such as laboratory and health administrative records.

Pertussis, or **whooping cough**, is an acute respiratory infection that can be prevented by vaccination. It is spread by coughs and sneezes from an infected person to a non-vaccinated person. It infects people of all ages, but the danger from complications is highest in young infants.

Ontario physicians are required to report each pertussis case so the province can plan the timing and frequency of immunizations.


While it has been known that many cases go unreported, this study is the first to quantify that gap.

Nearly **8 times higher:**

estimated number of whooping cough cases found using the study method, compared to tracking reported cases.



All pertussis cases in Ontarians aged > 1 year old 2009 - 2015



Crowcroft NS et al. PLOS ONE. 2018.

Institute for Clinical Evaluative Sciences
ices.on.ca

Public Health Ontario

Santé publique Ontario

Whooping cough in Ontario is happening much more frequently than previously known, reinforcing the importance of up-to-date vaccinations to protect yourself and loved ones from getting sick. Credit: Public Health Ontario and Institute for Clinical Evaluative Sciences

New research from Public Health Ontario (PHO) and the Institute for Clinical Evaluative Sciences (ICES) suggests that whooping cough cases in Ontario are happening much more frequently than previously known, reinforcing the importance of up-to-date vaccinations to protect against illness and the spread of disease.

Whooping [cough](#) (formally known as pertussis) is a highly contagious respiratory tract infection. In many people, it's characterized by a severe hacking cough followed by an sharp intake of breath that sounds like "whoop." Many people, though, don't develop the whoop; sometimes, a persistent hacking cough is the only sign that someone has the illness. In the case of [infants](#), they may not cough at all; instead, they may struggle to breathe, or they may even temporarily stop breathing. Infants are most at risk for serious complications from whooping cough. Deaths associated with whooping cough are rare. When deaths do occur, however, they are most commonly seen among infants, especially those who are too young to be immunized against the [disease](#).

While whooping cough is required to be reported to [public health](#) in Ontario, a new study, published in the May 2 issue of *PLOS ONE*, suggests that the incidence of illness is significantly under-reported. The researchers compared and cross-referenced three different datasets in Ontario - public [health](#) reportable disease surveillance data, public health laboratory data, and OHIP data housed at ICES - and found that the estimated total number of [cases](#) among infants was almost double, from 545 recorded cases to an estimated 924 cases. The datasets include the period for 2009 to 2015.

For those aged one year and older, estimated total of whooping cough cases was nearly eight times the number actually reported (12,883 estimated cases vs. 1,665 cases reported to public health).

One of the main drivers of the under-reporting is the variability of

physicians recognizing and reporting the illness to public health, note the researchers.

"These numbers clearly show that whooping cough is much more prevalent in the community than we realized, making the risks of people catching and spreading the disease higher," notes Dr. Natasha Crowcroft, chief of applied immunization research and evaluation at PHO and lead author of the paper. "Whooping cough is a vaccine-preventable disease, and these research findings reinforce the need for people to make sure their immunizations are up-to-date to limit potential infection and spread. This is particularly important for people who care for or are in contact with young infants."

Ensuring that immunizations are up-to-date are one way to control future outbreaks, says Dr. Crowcroft. In addition, better surveillance data to capture the true incidence of whooping cough in the province can help enable evidence-based decisions when it comes to timing and frequency of immunizations.

Fast facts:

- 12,883 estimated cases of whooping cough vs. 1,665 cases reported to public health from 2009 to 2015 in those aged one year and older.
- PHO provincial surveillance data on whooping cough (which are under-reported, note the researchers):
- 584 reported cases of [whooping cough](#), 33 reported hospitalizations in 2017;
- 463 cases in 2016, 30 hospitalizations in 2016;
- 700 cases in 2015, 36 hospitalizations in 2015; and
- Nearly 80 per cent of hospitalizations are among children younger than five years old.

Provided by Public Health Ontario

Citation: Whooping cough more widespread than previously known (2018, May 2) retrieved 24 April 2024 from <https://medicalxpress.com/news/2018-05-whooping-widespread-previously.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.