

APAGBI: teens 13+ should be assessed for VTE prophylaxis

June 12 2018



(HealthDay)—In the perioperative period, post-pubertal adolescents

should be assessed for venous thromboembolism (VTE) prophylaxis because of their slightly elevated risk, according to a special article from the Association of Paediatric Anaesthetists of Great Britain and Ireland, published online April 27 in *Pediatric Anesthesia*.

Judith Morgan, MB.Ch.B., from Sheffield Children's Hospital in the United Kingdom, and colleagues reviewed the literature to provide guidance relating to the care of children in the perioperative period. The authors reviewed the incidence of perioperative VTE, risk factors, evidence for mechanical and chemical prophylaxis, and complications and detailed safe practice of regional anesthesia with anticoagulant prophylaxis.

The authors note that few areas of strong evidence were found. For young children, the risk of VTE seemed negligible, and consequently, routine prophylaxis cannot be recommended. Post-pubertal adolescents (about 13 years of age and older) have slightly elevated VTE risk, although the incidence is significantly lower than that in the adult population. These adolescents should be evaluated for prophylaxis; if other [risk factors](#) are present, intervention may be warranted.

"Although the evidence base for current practice of perioperative thromboprophylaxis in children is of low quality, we think it has been possible to bring together useful information to guide safe practice," the authors write. "We hope the decision-making algorithm and risk assessment form will be of practical use and the key recommendations will help improve the perioperative care of [children](#)."

More information: [Abstract/Full Text \(subscription or payment may be required\)](#)

Copyright © 2018 [HealthDay](#). All rights reserved.

Citation: APAGBI: teens 13+ should be assessed for VTE prophylaxis (2018, June 12) retrieved 18 April 2024 from <https://medicalxpress.com/news/2018-06-apagbi-teens-vte-prophylaxis.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.