


Waking up is hard to do: Prefrontal cortex implicated in consciousness

June 21 2018



Credit: CC0 Public Domain

Philosophers have pondered the nature of consciousness for thousands of years. In the 21st century, the debate over how the brain gives rise to our everyday experience continues to puzzle scientists. To help, researchers in the University of Michigan Medical School Center for Consciousness

Scientists are working to identify areas of the brain that help us wake up, a basic building block of everyday consciousness.

In the search for what controls our overall level of consciousness, researchers have traditionally focused on structures in the lower part of the brain. These structures include the brainstem (which regulates vital functions like breathing, blood pressure and heartbeat); the hypothalamus (which is involved in sleep and controlling bodily functions); and the thalamus (which relays information from the senses). George Mashour, M.D., Ph.D., professor in the Department of Anesthesiology and director of the center, decided to look at different areas of the cortex, the upper part of the brain, for its ability to control the level of consciousness.

Recent research in nonhuman primates provides evidence that the prefrontal cortex has a switchboard-like relationship with other areas of the brain, helping to ignite awareness of visual information.

"There has been a debate that has recently intensified as to whether or not the prefrontal cortex—versus areas farther back—plays a role in generating [conscious experience](#). We thought that we'd target some of these different areas in the front and back of the brain to see which ones had the ability to control the level of consciousness," he says.

The key to ignition?

Because anesthesia is used to temporarily eliminate conscious experience during medical procedures, it provides the perfect opportunity to test hypotheses about consciousness.

Mashour and lead-author Dinesh Pal, Ph.D., also of the Department of Anesthesiology, anesthetized rats with a common anesthetic used in humans. "We wanted to see what had the causal power to take an

unconscious brain receiving ongoing anesthesia and wake it up," says Pal. To test this, they targeted two neurotransmitters that are associated with wakefulness: acetylcholine and norepinephrine.

The team exposed the anesthetized rats' prefrontal and [parietal cortex](#) to drugs that ramped up the effect of the neurotransmitters and measured their brain activity and behavior. When exposed to an acetylcholine-receptor activator, their [brain](#) waves, normally slow during sleep and anesthesia, sped up. But rats were able to start behaving as though they were awake only with prefrontal cortex stimulation, all while continuing to receive the same level of anesthesia that is used clinically for surgery in humans. These findings were published in the journal *Current Biology*.

Mashour says their new study "suggests that the prefrontal cortex also has the potential to play a role in coordinating the level of consciousness, possibly through the cholinergic system."

Clinically, these results could be explored for applications in people with disorders of consciousness, such as coma or vegetative states. "Let's say you have a patient in a coma: Could the prefrontal cortex be a site that is modulated to help coordinate events to help improve level of [consciousness](#)?" Mashour asks. The implications of this possibility are significant because of the relative accessibility of the prefrontal cortex.

"It's very difficult and dangerous to directly intervene at the level of arousal centers in the brainstem because of its location, small size and nearby vital functions. Maybe the [prefrontal cortex](#) is an accessible gateway to some of those other arousal systems that could be leveraged in a clinical setting outside of anesthesia," he says.

More information: *Current Biology* (2018). [DOI: 10.1016/j.cub.2018.05.025](https://doi.org/10.1016/j.cub.2018.05.025)

Provided by University of Michigan

Citation: Waking up is hard to do: Prefrontal cortex implicated in consciousness (2018, June 21)
retrieved 17 April 2024 from

<https://medicalxpress.com/news/2018-06-hard-prefrontal-cortex-implicated-consciousness.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.