


# A maestro that conducts the invasiveness of glioblastoma tumors

June 14 2018



ZEB1 is able to simultaneously switch 'on' and 'off' a large number of genes in cancer cells, in this way functioning as a 'conductor' that coordinates a genetic program that drives cell invasiveness of glioblastoma tumors. Credit: Visual Science Communication

Glioblastoma is the most severe form of brain cancer in adults. The aggressiveness of this cancer is largely due to its ability to invade

surrounding brain tissue, making the tumor difficult to remove by surgery. Now, a research team led by Diogo Castro, from Instituto Gulbenkian de Ciencia (IGC, Portugal), has discovered a genetic programme that controls the invasiveness of this form of cancer. This research, published in *The EMBO Journal*, may open avenues for developing new therapies.

Glioblastoma is a tumor that often reappears after surgery. This is in part because its [cancer cells](#) easily blend in with normal cells, making it difficult for the surgeon to remove the tumor in its entirety. Moreover, [glioblastoma](#) contains cancer stem cells with the capacity to originate a new tumor. If a few of these cells are left behind, a new tumor begins to form.

"The invasiveness of this form of tumor is a serious issue, and many researchers are trying to understand the mechanisms that allow [glioblastoma cells](#) to invade the surrounding brain tissue," says Diogo Castro. A molecule previously known to be involved in glioblastoma invasiveness is Zeb1. "Zeb1 belongs to an important group of regulatory molecules called transcription factors. These act inside the cell as a conductor does with an orchestra, telling musicians who should be playing, and when. Transcription factors do the same thing with genes," explained Pedro Rosmaninho, first author of this study.

"Our work confirmed the important role Zeb1 has in glioblastoma, by helping us to understand how it operates inside cancer cells when it enables them to invade the healthy [brain tissue](#) around the tumor," added the IGC researcher. Using cultures of cells established from human biopsies, and genetic databases constructed from the analysis of hundreds of glioblastoma tumors, the research team mapped which genes within the genome are targeted by Zeb1. Strikingly, researchers observed that Zeb1 orchestrates changes in the properties of cancer cells, by playing a dual role: it is able to simultaneously switch "on" and "off" a

vast number of genes. This changes how [cancer cells](#) interact with each other, and makes them motile so they can migrate away from the tumor mass.

"The more we know about how glioblastoma [tumor](#) cells invade the surrounding tissues, the closer we will be to one day finding effective therapies that disrupt this process," said Diogo Castro.

The estimated prevalence of glioblastoma in the population is one in every 100,000 inhabitants in Europe.

**More information:** Pedro Rosmaninho et al, Zeb1 potentiates genome-wide gene transcription with Lef1 to promote glioblastoma cell invasion, *The EMBO Journal* (2018). [DOI: 10.15252/embj.201797115](https://doi.org/10.15252/embj.201797115)

Provided by Instituto Gulbenkian de Ciencia

Citation: A maestro that conducts the invasiveness of glioblastoma tumors (2018, June 14) retrieved 1 May 2024 from <https://medicalxpress.com/news/2018-06-maestro-invasiveness-glioblastoma-tumors.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--